

Accepted Manuscript

A novel validation and calibration method for motion capture systems based on micro-triangulation

Gergely Nagymáté, Tamás Tuchband, Rita M Kiss

PII: S0021-9290(18)30273-2

DOI: <https://doi.org/10.1016/j.jbiomech.2018.04.009>

Reference: BM 8656

To appear in: *Journal of Biomechanics*

Accepted Date: 4 April 2018



Please cite this article as: G. Nagymáté, T. Tuchband, R.M. Kiss, A novel validation and calibration method for motion capture systems based on micro-triangulation, *Journal of Biomechanics* (2018), doi: <https://doi.org/10.1016/j.jbiomech.2018.04.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Rev 2.

Original Article

A novel validation and calibration method for motion capture systems based on micro-triangulation

Gergely Nagymáté¹, Tamás Tuchband², Rita M Kiss¹

¹Department of Mechatronics, Optics and Mechanical Engineering Informatics, Budapest University of Technology and Economics, Műegyetem rakpart 3. H-1111, Budapest, Hungary

²Department of Geodesy and Surveying, Budapest University of Technology and Economics, Budapest Hungary

Corresponding author:
Rita M Kiss

Department of Mechatronics, Optics and Mechanical Engineering Informatics, Budapest University of Technology and Economics, Műegyetem rakpart 3. H-1111, Budapest, Hungary
Email: rikiss@mail.bme.hu

Keywords: motion capture, validation, absolute accuracy, scale error, wand-size optimization

Word count: 3798

Download English Version:

<https://daneshyari.com/en/article/7235944>

Download Persian Version:

<https://daneshyari.com/article/7235944>

[Daneshyari.com](https://daneshyari.com)