

Accepted Manuscript

Machine learning algorithms based on signals from a single wearable inertial sensor can detect surface- and age-related differences in walking

B. Hu, P.C. Dixon, J.V. Jacobs, J.T. Dennerlein, J.M. Schiffman

PII: S0021-9290(18)30019-8

DOI: <https://doi.org/10.1016/j.jbiomech.2018.01.005>

Reference: BM 8521

To appear in: *Journal of Biomechanics*

Accepted Date: 8 January 2018



Please cite this article as: B. Hu, P.C. Dixon, J.V. Jacobs, J.T. Dennerlein, J.M. Schiffman, Machine learning algorithms based on signals from a single wearable inertial sensor can detect surface- and age-related differences in walking, *Journal of Biomechanics* (2018), doi: <https://doi.org/10.1016/j.jbiomech.2018.01.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Machine learning algorithms based on signals from a single wearable inertial sensor can detect surface- and age-related differences in walkingHu B^{1*,2}, Dixon, PC^{1,2}, Jacobs JV², Dennerlein JT^{1,3}, Schiffman JM²

1. Department of Environmental Health, Harvard T.H. Chan School of Public Health
2. Liberty Mutual Research Institute for Safety
3. Bouvé College of Health Sciences, Northeastern University

Corresponding author:

Boyi Hu

Research Fellow
Harvard University School of Public Health
Boston, MA 02115
Tel: +1 304) 435-9133
Email: boyihu@hsph.harvard.edu

Download English Version:

<https://daneshyari.com/en/article/7236407>

Download Persian Version:

<https://daneshyari.com/article/7236407>

[Daneshyari.com](https://daneshyari.com)