Accepted Manuscript

Effects of surrounding fluid on motility of hyperactivated bovine sperm

Toru Hyakutake, Kotaro Mori, Koichi Sato

PII: S0021-9290(18)30095-2

DOI: https://doi.org/10.1016/j.jbiomech.2018.02.009

Reference: BM 8571

To appear in: Journal of Biomechanics

Accepted Date: 5 February 2018



Please cite this article as: T. Hyakutake, K. Mori, K. Sato, Effects of surrounding fluid on motility of hyperactivated bovine sperm, *Journal of Biomechanics* (2018), doi: https://doi.org/10.1016/j.jbiomech.2018.02.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Effects of surrounding fluid on motility of hyperactivated bovine sperm

Toru Hyakutake,†* Kotaro Mori,† and Koichi Sato†

† Faculty of Engineering, Yokohama National University

79-5, Hodogaya, Yokohama 240-8501, Japan

[‡] Graduate School of Engineering, Yokohama National University

79-5, Hodogaya, Yokohama 240-8501, Japan

* Corresponding author, Tel.: +81-45-339-3882; Fax: +81-45-339-3882

E-mail address: hyaku@ynu.ac.jp (Toru HYAKUTAKE)

Keywords: Bovine sperm, Hyperactivation, Non-Newtonian fluid, Mobility

Download English Version:

https://daneshyari.com/en/article/7236477

Download Persian Version:

https://daneshyari.com/article/7236477

<u>Daneshyari.com</u>