

Accepted Manuscript

Short communication

Adaptation of a clinical fixation device for biomechanical testing of the lumbar spine

Kevin M. Bell, Adrianna Oh, Harold A. Cook, Yiguo Yan, Joon Y. Lee

PII: S0021-9290(17)30742-X

DOI: <https://doi.org/10.1016/j.jbiomech.2017.12.029>

Reference: BM 8515

To appear in: *Journal of Biomechanics*

Accepted Date: 28 December 2017

Please cite this article as: K.M. Bell, A. Oh, H.A. Cook, Y. Yan, J.Y. Lee, Adaptation of a clinical fixation device for biomechanical testing of the lumbar spine, *Journal of Biomechanics* (2018), doi: <https://doi.org/10.1016/j.jbiomech.2017.12.029>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



TITLE

Adaptation of a clinical fixation device for biomechanical testing of the lumbar spine

AUTHORS AND AFFILIATIONS

¹Kevin M. Bell, PhD; ¹Adrianna Oh, BS; ¹Harold A. Cook, MS; ^{1,2}Yiguo Yan, MD;
¹Joon Y. Lee, MD

¹Ferguson Laboratory for Spine Research, Department of Orthopedic Surgery, University of Pittsburgh, Pittsburgh, PA USA; ²Department of Spine Surgery, The First Affiliated Hospital of University of South China, Hengyang, People's Republic of China

CORRESPONDENCE

Kevin M Bell, PhD
Ferguson Research Laboratory
Department of Orthopedic Surgery
University of Pittsburgh School of Medicine
200 Lothrop Street, Room E1612 BST
Pittsburgh, PA 15261

Phone: 412-383-6914

Fax: 412-648-8548

Email: kmb7@pitt.edu

Short Communication
Word Count: 2173

Download English Version:

<https://daneshyari.com/en/article/7236664>

Download Persian Version:

<https://daneshyari.com/article/7236664>

[Daneshyari.com](https://daneshyari.com)