

Accepted Manuscript

Short communication

Comparison of Two Trunk Electromagnetic Sensor Placement Methods during Shoulder Motion Analysis

Hillary A. Plummer, Federico Pozzi, Lori A. Michener

PII: S0021-9290(17)30738-8

DOI: <https://doi.org/10.1016/j.jbiomech.2017.12.025>

Reference: BM 8511

To appear in: *Journal of Biomechanics*

Accepted Date: 17 December 2017

Please cite this article as: H.A. Plummer, F. Pozzi, L.A. Michener, Comparison of Two Trunk Electromagnetic Sensor Placement Methods during Shoulder Motion Analysis, *Journal of Biomechanics* (2017), doi: <https://doi.org/10.1016/j.jbiomech.2017.12.025>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Title Page**Comparison of Two Trunk Electromagnetic Sensor Placement Methods during Shoulder Motion Analysis**

Hillary A. Plummer, PhD, ATC*
University of Southern California
Division of Biokinesiology and Physical Therapy
1540 E. Alcazar St., CHP 155
Los Angeles, CA 90089
hplummer@pt.usc.edu

Federico Pozzi, PhD, PT
University of Southern California
Division of Biokinesiology and Physical Therapy
Los Angeles, CA, USA

Lori A. Michener, PhD, PT, ATC, SCS, FAPTA
University of Southern California
Division of Biokinesiology and Physical Therapy
Los Angeles, CA, USA

*Corresponding Author

Word Count: 1,999

Keywords: Electromagnetic Tracking; Kinematics; Upper Extremity; Scapula; Shoulder

Submitting for Short Communications

Download English Version:

<https://daneshyari.com/en/article/7236678>

Download Persian Version:

<https://daneshyari.com/article/7236678>

[Daneshyari.com](https://daneshyari.com)