


Accepted Manuscript

A Targeted Ferritin-Microplasmin Based Thrombolytic Nanocage Selectively Dissolves Blood Clots

Junyoung Seo, Taslim A. Al-Hilal, Jun-Goo Jee, Yong-Lim Kim, Ha-Jeong Kim, Byung-Heon Lee, Soyoun Kim, In-San Kim



PII: S1549-9634(18)30007-8
DOI: <https://doi.org/10.1016/j.nano.2017.12.022>
Reference: NANO 1730

To appear in:

Received date: 27 September 2017
Revised date: 18 December 2017
Accepted date: 29 December 2017

Please cite this article as: Junyoung Seo, Taslim A. Al-Hilal, Jun-Goo Jee, Yong-Lim Kim, Ha-Jeong Kim, Byung-Heon Lee, Soyoun Kim, In-San Kim , A Targeted Ferritin-Microplasmin Based Thrombolytic Nanocage Selectively Dissolves Blood Clots. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Nano(2018), <https://doi.org/10.1016/j.nano.2017.12.022>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A Targeted Ferritin-Microplasmin Based Thrombolytic Nanocage Selectively Dissolves Blood Clots

Junyoung Seo^a, Taslim A. Al-Hilal, PhD^{b,c}, Jun-Goo Jee, PhD^d, Yong-Lim Kim, MD, PhD^e, Ha-Jeong Kim, MD, PhD^f, Byung-Heon Lee, MD, PhD^a, Soyoun Kim, PhD^{a,*}, and In-San Kim, MD, PhD^{b,g,*}

^aDepartment of Biochemistry and Cell Biology, Cell and Matrix Research Institute, School of Medicine, Kyungpook National University, Daegu 41944, Republic of Korea

^bBiomedical Research Institute, Korea Institute of Science and Technology, Seoul 02792, Republic of Korea

^cDepartment of Pharmaceutical Sciences, School of Pharmacy, Texas Tech University Health Sciences Center, Amarillo, Texas 79106, USA

^dCollege of Pharmacy, Research Institute of Pharmaceutical Sciences, Kyungpook National University, Daegu 41566, Republic of Korea.

^eDepartment of Internal Medicine, Kyungpook National University School of Medicine, Daegu 41944, Republic of Korea.

^fDepartment of Physiology, School of Medicine, Kyungpook National University, Daegu 41944, Republic of Korea.

^gKU-KIST Graduate School of Converging Science and Technology, Korea University, Seoul 02841, Republic of Korea.

Footnotes:

Conflicts of Interest: The authors report no conflicts of interest.

Funding: This work was supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education (NRF-2015R1D1A3A01019018); the National Research Foundation of Korea (NRF) grant funded by the Korea government (2014R1A5A2009242); the National Research Foundation of Korea (NRF) funded by the Korea government (2017R1A3B1023418).

Download English Version:

<https://daneshyari.com/en/article/7238648>

Download Persian Version:

<https://daneshyari.com/article/7238648>

[Daneshyari.com](https://daneshyari.com)