


## Accepted Manuscript

Tumor associated macrophages and angiogenesis dual-recognizable nanoparticles for enhanced cancer chemotherapy

Duo Cao, Lin Liang, Yixin Xu, Ji Sun, Meng Lei, Man Wang, Yahui Wei, Zhenliang Sun



PII: S1549-9634(18)30003-0  
DOI: <https://doi.org/10.1016/j.nano.2017.12.018>  
Reference: NANO 1726

To appear in:

Received date: 15 November 2017  
Revised date: 11 December 2017  
Accepted date: 22 December 2017

Please cite this article as: Duo Cao, Lin Liang, Yixin Xu, Ji Sun, Meng Lei, Man Wang, Yahui Wei, Zhenliang Sun , Tumor associated macrophages and angiogenesis dual-recognizable nanoparticles for enhanced cancer chemotherapy. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Nano(2018), <https://doi.org/10.1016/j.nano.2017.12.018>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Tumor associated macrophages and angiogenesis dual-recognizable  
nanoparticles for enhanced cancer chemotherapy**

**Duo Cao<sup>1#</sup>, Lin Liang<sup>2#</sup>, Yixin Xu<sup>4#</sup>, Ji Sun<sup>5#</sup>, Meng Lei<sup>1</sup>, Man Wang<sup>2</sup>, Yahui Wei<sup>1</sup>,  
Zhenliang Sun<sup>2,3\*</sup>**

<sup>1</sup> The College of Life Sciences, Northwest University, Xi'an, Shaanxi 710069, China

<sup>2</sup> Shanghai University of Medicine & Health Sciences Affiliated Sixth People's Hospital South Campus, Shanghai 201499, China

<sup>3</sup> Department of General Surgery, Shanghai Tenth People's Hospital, Tongji University School of Medicine, Shanghai 200072, China

<sup>4</sup> School of Pharmacy, Shanghai University of Medicine & Health Sciences, Shanghai 201318, China

<sup>5</sup> Shanghai University of Medicine & Health Sciences, Shanghai 201318, China

<sup>#</sup> These authors contributed equally to this work

● Correspondence to: Zhenliang Sun, email: [sunzl6@126.com](mailto:sunzl6@126.com)

**Conflict of interest:** The authors declare no conflict of interest.

**Funding:** This work was funded by Shanghai Municipal Health and Family Planning Commission Project (201540027 and 20174Y0236), The seed fund program of Shanghai university of medicine & health Sciences (HSMF-17-22-031), Municipal Human Resources Development Program for Outstanding Young Talents in Medical and Health Sciences in Shanghai (2017YQ048) and China Postdoctoral Science Foundation (2017M610278).

This research was partly supported by Special Fund for Agro-scientific Research in The Public Interest (Grant 389 No. 201203062), Scientific research plan projects of the Education Department of Shaanxi Provincial Government (Grant No. 2010JS091), Special Research Project of Natural Science of the Education Department of Shaanxi Provincial Government (Grant No. 16JK1756), Support Plan for Young Talents of Science and Technology Association of Colleges and Universities in Shaanxi Province 393 (Grant No. 20150105).

Download English Version:

<https://daneshyari.com/en/article/7238681>

Download Persian Version:

<https://daneshyari.com/article/7238681>

[Daneshyari.com](https://daneshyari.com)