

A Nonlinear Hybrid Filter for Salt & Pepper Noise Removal from Color Images

Isma Irum, Muhammad Sharif*, Mudassar Raza and Sajjad Mohsin

Department of Computer Sciences
COMSATS Institute of Information Technology
Wah Cantt., 47040, Pakistan
*muhammadsharifmalik@yahoo.com

ABSTRACT

Impulse noise reduction or removal is a very active research area of image processing. A nonlinear hybrid filter for removing fixed impulse noise (salt & pepper) noise from color images has been proposed in this study. Technique is based on mathematical morphology and trimmed standard median filter. Proposed filter is composed of a sequence of morphological standard and well known operations erosion-dilation and trimmed standard median filter. It removes the fixed impulse noise (salt & pepper) very well without distorting the image features, color components and edges. It does not introduce blurring and moving effects even in high noise densities (up to 90%). The standard similarity measure peak signal to noise ratio (PSNR) and computation time have been used to evaluate the performance of proposed hybrid filter.

Keywords: Color image filtering, decision based trimmed median filter, impulse noise, mathematical morphology.

1. Introduction

Noise is the most annoying problem in image processing. One way to get rid of this problem is the development of such a robust algorithm that can perform the processing tasks in presence of noise. The other way is to design a filtration process to eliminate the noise from images [1] while preserving its features, edges and details.

Noise introduces random variations into image that fluctuate the original values to some different values. Causes which may introduce noise to images include flaws in data transmission, imperfect optics, sensor malfunctioning, processing techniques and electronic interference [2; 3].

Mathematical morphology is a methodology specifically designed for the analysis of geometrical structures in an image by probing it with small patterns called structuring elements [4]. The resultant image operators are nonlinear and found useful for many applications like edge detection, object segmentation [5], noise suppression [6] and exploring geometrical structures of images [7]. Alternate sequence filters (ASFs) are recognized as one of these important operators and have been widely used and researched [8; 9; 10; 11]. Some other morphological filters include multi structure elements based morphological filters [12; 13], soft

morphological filters [14; 15] and hybrid operator-based morphological filters [16].

Median filter [17] having the good denoising power has been the most popular filter. Its variations have been proposed in multistate median filter [18], median filter based on homogeneity information [19; 20] decision based trimmed median filters [21; 22] to improve its performance.

Recently the extensions of mathematical morphology to color images have been proposed in [23; 24; 25; 26; 27]. The proposed hybrid filter combines the strong processing capabilities of mathematical morphology and decision based trimmed median filter for noise suppression or cancellation. By using the concept of ASF, a sequence of erosion and dilation combined with the trimmed median filter is composed with line structuring elements. It not only achieves the outstanding results but produces visually satisfactory reconstructed images even in very high noise densities.

The rest of the paper is structured as follows, section 2 discusses the proposed method in detail, section 3 provides the results and discussion upon those results, section 4 concludes the whole method and section 5 lists the references quoted in this study.

2. Materials and methods

Different models exist for image de noising including ROF model [28], Total variation model [29], Bias model [30], Affine model [31], Graphical model [32] and Multiplicative noise model [33] etc. These models have proved best for the removal of a variety of noise like salt and pepper noise, Gaussian noise, uniform noise, Rayleigh noise, exponential noise, mixed noise, Gamma noise and poison noise etc.

The noise model used in the paper consists of well known and morphological standard operations known as erosion-dilation and trimmed standard median filter. This noise model is selected because it does not distort the features of image, image edges and image color components while removing the fixed impulse noise (salt & pepper). Further, even in case of high densities of noise, moving and blurring effects are also not introduced by this noise model.

2.1 Noise Model

A digital image can be modeled in any of color spaces like RGB, HSV and L*a *b. RGB is most commonly used as basic color space. RGB enables the mixing of red, green and blue light to produce a wide range of colors. Therefore a three dimensional (3-D) vector is used to represent the colors in RGB model, containing the red as first, green as second and blue as the third element. These elements are called three primary components having the range [0, 2d-1], mostly with d=8.

A two dimensional (2D) vector can be used to represent a digital color image I (G, H, 3), in which (x, y) depicts the position of a pixel in I and $1 \leq x \leq G, 1 \leq y \leq H$. If I (x, y, 1), I (x, y, 2) and I (x, y, 3) denote the red, green and blue components respectively, then occurrence of impulse noise can be modeled as [2].

$$n(I) = \left\{ \begin{array}{ll} nf & \text{with probability } (1-p) \\ (iv, nf_2, nf_3)^r & \text{with probability } p_1 p \\ (nf_1, iv, nf_3)^r & \text{with probability } p_2 p \\ (nf_1, nf_2, iv)^r & \text{with probability } p_3 p \\ (iv, iv, iv)^r & \text{with probability } p_{\Sigma} p \end{array} \right\} \quad (1)$$

$n(I)$ is noisy signal, $nf = (nf_1, nf_2, nf_3)^r$ is noise free color vector, iv is the impulse value and

$$p_{\Sigma} = 1 - p_1 - p_2 - p_3 \quad (2)$$

Impulse value iv can have two values either 0 or 255.

2.2 Filtration Scheme

The scheme used in proposed method is component wise filtering. Color space RGB is used and each of its components is passed through the proposed hybrid filter separately.

$$I_1 = I(G, H, 1) \quad (3)$$

$$I_2 = I(G, H, 2) \quad (4)$$

$$I_3 = I(G, H, 3) \quad (5)$$

Erosion and dilation are the most elementary operations of mathematical morphology. Erosion computes the local minima and dilation computes the local maxima of neighbor of the input image, on which they are working. If SE is structuring element then component wise erosion of color image I is defined by

$$[\varepsilon_{SE}(I_k)](x, y) = \min_{se \in SE} \{I(x, y + se)\} \quad (6)$$

where $k = 1, 2, 3$ showing R, G, B components
Component wise Dilation of image color I is defined by

$$[\delta_{SE}(I_k)](x, y) = \max_{se \in SE} \{I(x, y + se)\} \quad (7)$$

where $k = 1, 2, 3$ showing R, G, B components

If $n_k = \text{neighborhood of size } (2m+1) \times (2m+1)$, for $m = 1, 2, 3 \dots$ then component wise trimmed median of color image I is defined by

Download English Version:

<https://daneshyari.com/en/article/725583>

Download Persian Version:

<https://daneshyari.com/article/725583>

[Daneshyari.com](https://daneshyari.com)