Accepted Manuscript

Title: Speech Disfluencies in Children with Down Syndrome

Authors: Kurt Eggers, Sabine Van Eerdenbrugh

PII: S0021-9924(16)30179-4

DOI: https://doi.org/10.1016/j.jcomdis.2017.11.001

Reference: JCD 5827

To appear in: *JCD*

Received date: 22-11-2016 Revised date: 1-11-2017 Accepted date: 1-11-2017

Please cite this article as: Eggers, Kurt., & Van Eerdenbrugh, Sabine., Speech Disfluencies in Children with Down Syndrome. *Journal of Communication Disorders* https://doi.org/10.1016/j.jcomdis.2017.11.001

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Speech Disfluencies in Children with Down Syndrome

Kurt Eggers a, b

Sabine Van Eerdenbrugh ^a

^a Dept. of Speech-Language Therapy and Audiology, Thomas More University College, Antwerp, Belgium

^b Dept. of Psychology and Speech-Language Pathology, University of Turku, Finland kurt.eggers@thomasmore.be, sabine.vaneerdenbrugh@thomasmore.be

Corresponding author

Kurt Eggers Molenstraat 11 2018 Antwerp Belgium

Phone: +32 491 56 36 11

Email: kurt.eggers@thomasmore.be

Research highlights

- CWDS have a different distribution of types of disfluencies compared to controls.
- Approximately 30 percent of the CWDS were diagnosed with stuttering.
- Despite having cluttering symptoms, no CWDS were diagnosed with cluttering.

Download English Version:

https://daneshyari.com/en/article/7268100

Download Persian Version:

https://daneshyari.com/article/7268100

<u>Daneshyari.com</u>