
Author's Accepted Manuscript

Development and Validation of a Brief Screening Procedure for Pediatric Obsessive-Compulsive Disorder Derived from the Spence Children's Anxiety Scale

Adam F. Sattler, Stephen P.H. Whiteside, John P. Bentley, John Young



PII: S2211-3649(17)30117-3 DOI: https://doi.org/10.1016/j.jocrd.2017.12.004 Reference: JOCRD369

To appear in: Journal of Obsessive-Compulsive and Related Disorders

Received date: 7 July 2017 Revised date: 7 December 2017 Accepted date: 8 December 2017

Cite this article as: Adam F. Sattler, Stephen P.H. Whiteside, John P. Bentley and John Young, Development and Validation of a Brief Screening Procedure for Pediatric Obsessive-Compulsive Disorder Derived from the Spence Children's Anxiety Scale, *Journal of Obsessive-Compulsive and Related Disorders*, https://doi.org/10.1016/j.jocrd.2017.12.004

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

PEDIATRIC OCD SCREENING

Development and Validation of a Brief Screening Procedure for Pediatric Obsessive-Compulsive

Disorder Derived from the Spence Children's Anxiety Scale

Adam F. Sattler, ^a Stephen P. H. Whiteside, ^b John P. Bentley, ^c & John Young, ^a

crile

^a Department of Psychology, University of Mississippi

^b Department of Psychiatry and Psychology, Mayo Clinic

^c Department of Pharmacy Administration, University of Mississippi

Corresponding author: Adam F. Sattler, M.A., Department of Psychology, University of Mississippi, 205 Peabody, University, MS 38677.

Abstract

Evidence-based assessment (EBA) is essential to accurate measurement of psychiatric disorders, including pediatric obsessive-compulsive disorder (OCD). There are, unfortunately, barriers to using these techniques in clinical settings, primary among which is the time entailed

Download English Version:

https://daneshyari.com/en/article/7269046

Download Persian Version:

https://daneshyari.com/article/7269046

Daneshyari.com