


Accepted Manuscript

A single bout of either sprint interval training or moderate intensity continuous training reduces anxiety sensitivity: A randomized controlled trial

Julia E. Mason, Gordon J.G. Asmundson



PII: S1755-2966(17)30118-7

DOI: [10.1016/j.mhpa.2018.02.006](https://doi.org/10.1016/j.mhpa.2018.02.006)

Reference: MHPA 248

To appear in: *Mental Health and Physical Activity*

Received Date: 13 September 2017

Revised Date: 9 February 2018

Accepted Date: 24 February 2018

Please cite this article as: Mason, J.E., Asmundson, G.J.G., A single bout of either sprint interval training or moderate intensity continuous training reduces anxiety sensitivity: A randomized controlled trial, *Mental Health and Physical Activity* (2018), doi: 10.1016/j.mhpa.2018.02.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A Single Bout of Either Sprint Interval Training or Moderate Intensity Continuous Training
Reduces Anxiety Sensitivity: A Randomized Controlled Trial

Julia E. Mason, Gordon J. G. Asmundson

Department of Psychology, University of Regina,

Author Note

Correspondence regarding this article should be addressed to Julia E. Mason, Department of Psychology, University of Regina, 3737 Wascana Parkway, Regina, SK S4S 0A2. E-mail: mason24j@uregina.ca

Dr. Gordon J.G. Asmundson is supported by a Canadian Institutes of Health Research operating grant (FRN 8665).

Download English Version:

<https://daneshyari.com/en/article/7270145>

Download Persian Version:

<https://daneshyari.com/article/7270145>

[Daneshyari.com](https://daneshyari.com)