Accepted Manuscript

Title: From Coarse to Fine: Interactive feature processing precedes local feature analysis in human face perception

Authors: Judith C. Peters, Rainer Goebel, Valerie Goffaux



To appear in:

Received date:	25-10-2017
Revised date:	19-7-2018
Accepted date:	31-7-2018

Please cite this article as: Peters JC, Goebel R, Goffaux V, From Coarse to Fine: Interactive feature processing precedes local feature analysis in human face perception, *Biological Psychology* (2018), https://doi.org/10.1016/j.biopsycho.2018.07.009

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

From Coarse to Fine: Interactive feature processing precedes local feature analysis in human face perception

Judith C. Peters^{1,2}, Rainer Goebel^{1,2}, & Valerie Goffaux^{1,3}

¹ Department of Cognitive Neuroscience, Faculty of Psychology and Neuroscience, Maastricht University, Maastricht, The Netherlands

² Department of Vision and Cognition, Netherlands Institute for Neuroscience, an institute of the Royal Netherlands Academy of Arts and Sciences (KNAW), Amsterdam, The Netherlands

³ Psychological Sciences Research Institute (IPSY), Institute of Neuroscience (IONS), Université

Catholique de Louvain, Louvain-la-Neuve, Belgium

Running title: time course of interactive face feature processing

Number of figures/tables: 4/0

Number of pages: 31 (incl. references)

Corresponding author:

J. Peters, Ph.D.

Department of Cognitive Neuroscience, Faculty of Psychology and Neuroscience, Maastricht University, Maastricht, The Netherlands

P.O. box 616, 6200 MD, Maastricht, The Netherlands

Phone: +31 433882472

E-mail j.peters@maastrichtuniversity.nl

Keywords: face perception; ERP; face features; holistic processing; neural adaptation

Highlights:

- The Interactive (IFP) versus Local (LFP) Feature Processing of faces depend on feature discriminability.
- ERP results show that IFP precedes LFP by 120 ms in a congruency paradigm.
- Findings support Coarse-to-Fine models for face perception.

Download English Version:

https://daneshyari.com/en/article/7278032

Download Persian Version:

https://daneshyari.com/article/7278032

Daneshyari.com