

Accepted Manuscript

Inflammatory microglia are glycolytic and iron retentive and typify the microglia in APP/PS1 mice.

R Holland, AL McIntosh, OM Finucane, V Mela, A Rubio-Araiz, G Timmons, SA McCarthy, YK Gun'ko, MA Lynch

PII: S0889-1591(17)30473-7
DOI: <https://doi.org/10.1016/j.bbi.2017.10.017>
Reference: YBRBI 3261

To appear in: *Brain, Behavior, and Immunity*

Received Date: 8 June 2017
Revised Date: 6 October 2017
Accepted Date: 19 October 2017

Please cite this article as: Holland, R., McIntosh, A., Finucane, O., Mela, V., Rubio-Araiz, A., Timmons, G., McCarthy, S., Gun'ko, Y., Lynch, M., Inflammatory microglia are glycolytic and iron retentive and typify the microglia in APP/PS1 mice., *Brain, Behavior, and Immunity* (2017), doi: <https://doi.org/10.1016/j.bbi.2017.10.017>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Inflammatory microglia are glycolytic and iron retentive and typify the microglia in APP/PS1 mice.

Abbreviated title: IFN γ -induced metabolic signature in microglia

R Holland*, AL McIntosh*, OM Finucane, V Mela, A Rubio-Araiz, G Timmons, SA McCarthy[§], YK Gun'ko[§] and MA Lynch[¶]

Trinity College Institute for Neuroscience and [§]School of Chemistry and [§]CRANN,
Trinity College,
Dublin 2,
Ireland.

*These authors contributed equally to the manuscript.

[¶]Corresponding author: Email: lynchma@tcd.ie

Download English Version:

<https://daneshyari.com/en/article/7279628>

Download Persian Version:

<https://daneshyari.com/article/7279628>

[Daneshyari.com](https://daneshyari.com)