

CD40-TNF activation in mice induces extended sickness behavior syndrome co-incident with but not dependent on activation of the kynurenine pathway

PII: S0889-1591(15)00401-8
 DOI: <http://dx.doi.org/10.1016/j.bbi.2015.06.184>
 Reference: YBRBI 2650

To appear in: *Brain, Behavior, and Immunity*

Received Date: 18 April 2015
Revised Date: 23 June 2015
Accepted Date: 27 June 2015

Please cite this article as: Cathomas, F., Fuertig, R., Sigrist, H., Newman, G.N., Hoop, V., Bizzozzero, M., Mueller, A., Luippold, A., Ceci, A., Hengerer, B., Seifritz, E., Fontana, A., Pryce, C.R., CD40-TNF activation in mice induces extended sickness behavior syndrome co-incident with but not dependent on activation of the kynurenine pathway, *Brain, Behavior, and Immunity* (2015), doi: <http://dx.doi.org/10.1016/j.bbi.2015.06.184>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



CD40-TNF activation in mice induces extended sickness behavior syndrome co-incident with but not dependent on activation of the kynurenine pathway

Flurin Cathomas^{a,b,1}, Rene Fuertig^{c,1}, Hannes Sigrist^a, Gregory N. Newman^a, Vanessa Hoop^{a,d}, Manuela Bizzozzero^a, Andreas Mueller^{e,f}, Andreas Luippold^g, Angelo Ceci^c, Bastian Hengerer^c, Erich Seifritz^{b,f}, Adriano Fontana^{e,f}, Christopher R. Pryce^{a,f,2}

^a Preclinical Laboratory for Translational Research into Affective Disorders, Department of Psychiatry, Psychotherapy & Psychosomatics, Psychiatric Hospital, University of Zurich, Switzerland

^b Department of Psychiatry, Psychotherapy & Psychosomatics, Psychiatric Hospital, University of Zurich, Switzerland

^c CNS Diseases Research Germany, Boehringer Ingelheim Pharma GmbH & Co. KG, Biberach an der Riss, Germany

^d ETH Zurich, Institute of Human Movement Sciences and Sport, Zurich, Switzerland

^e Institute of Experimental Immunology, University of Zurich, Zurich, Switzerland

^f Neuroscience Center, University and ETH Zurich, Switzerland

^g Drug Discovery Support, Boehringer Ingelheim Pharma GmbH & Co. KG, Biberach an der Riss, Germany

¹ These authors contributed equally and share first authorship

² Corresponding author: Prof. Christopher Pryce, PLaTRAD, Department of Psychiatry, Psychotherapy & Psychosomatics, Psychiatric Hospital, University of Zurich, August Forel-Strasse 7, CH-8008 Zurich, Switzerland. Email: christopher.pryce@bli.uzh.ch, Tel +41 634 8921, Fax +41 634

8829

Download English Version:

<https://daneshyari.com/en/article/7280648>

Download Persian Version:

<https://daneshyari.com/article/7280648>

[Daneshyari.com](https://daneshyari.com)