

## Accepted Manuscript

Title: Moderate effects of noninvasive brain stimulation of the frontal cortex for improving negative symptoms in schizophrenia: meta-analysis of controlled trials

Authors: André Aleman, Stefanie Enriquez-Geppert, Henderikus Knegtering, Jozarni J. Dlabac-de Lange



PII: S0149-7634(16)30787-4  
DOI: <https://doi.org/10.1016/j.neubiorev.2018.02.009>  
Reference: NBR 3051

To appear in:

Received date: 6-12-2016  
Revised date: 24-1-2018  
Accepted date: 12-2-2018

Please cite this article as: Aleman A, Enriquez-Geppert S, Knegtering H, Dlabac-de Lange JJ, Moderate effects of noninvasive brain stimulation of the frontal cortex for improving negative symptoms in schizophrenia: meta-analysis of controlled trials, *Neuroscience and Biobehavioral Reviews* (2018), <https://doi.org/10.1016/j.neubiorev.2018.02.009>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## Moderate effects of noninvasive brain stimulation of the frontal cortex for improving negative symptoms in schizophrenia: meta-analysis of controlled trials

André Aleman<sup>1,2,3</sup>, Stefanie Enriquez-Geppert<sup>3</sup>, Henderikus Knegtering<sup>2,4</sup>, Jozarni J. Dlabac-de Lange<sup>2</sup>

<sup>1</sup>Shenzhen Key Laboratory of Affective and Social Cognitive Science, Shenzhen University, Shenzhen, 518060, China

<sup>2</sup>University of Groningen, University Medical Center Groningen, Department of Neuroscience, Groningen, The Netherlands

<sup>3</sup>University of Groningen, Department of Clinical and Developmental Neuropsychology, Groningen, The Netherlands

<sup>4</sup>Lentis Mental Health Center, Groningen, The Netherlands

Corresponding author: André Aleman, PhD , Shenzhen University, Shenzhen, China and University of Groningen, UMCG, Department of Neuroscience, Address: Antonius Deusinglaan 2, 9713AW Groningen, the Netherlands , email: [a.aleman@umcg.nl](mailto:a.aleman@umcg.nl) , phone: +31503638798

### Highlights

- Noninvasive neurostimulation can potentially improve negative symptoms
- The effect of lateral prefrontal stimulation on active behavior suggests a causal role
- Moderator variables such as intensity of stimulation and duration of illness are relevant

Download English Version:

<https://daneshyari.com/en/article/7301801>

Download Persian Version:

<https://daneshyari.com/article/7301801>

[Daneshyari.com](https://daneshyari.com)