

Author's Accepted Manuscript

Processing of implicit versus explicit predictive contextual information in Parkinson's disease

Ling Li, Pablo Diaz-Brage, Helena Fernandez-Lago, Noa Fogelson



PII: S0028-3932(17)30471-2

DOI: <https://doi.org/10.1016/j.neuropsychologia.2017.12.006>

Reference: NSY6597

To appear in: *Neuropsychologia*

Received date: 9 August 2017

Revised date: 30 November 2017

Accepted date: 2 December 2017

Cite this article as: Ling Li, Pablo Diaz-Brage, Helena Fernandez-Lago and Noa Fogelson, Processing of implicit versus explicit predictive contextual information in Parkinson's disease, *Neuropsychologia*, <https://doi.org/10.1016/j.neuropsychologia.2017.12.006>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Processing of implicit versus explicit predictive contextual information in Parkinson's disease

Ling Li^{1*}, Pablo Diaz-Brage^{2*}, Helena Fernandez-Lago², Noa Fogelson²

¹Key Laboratory for NeuroInformation of Ministry of Education, School of Life Science and Technology, University of Electronic Science and Technology of China, Chengdu, China

²Department of Physical Education, Faculty of Science, University of A Coruña, Spain.

*correspondence to: Noa Fogelson, Ph.D. EEG and Cognition laboratory, Department of Physical Education, University of A Coruña, Oleiros 15179, Spain. Phone: +34-981167000, Fax:+ 34-981167048, Email: nfogelson@udc.es

* These authors contributed equally to the manuscript

Abstract

We investigated the effects of implicit versus explicit local contextual processing in Parkinson's disease (PD) using electrophysiological measures. EEG recording blocks consisted of targets preceded by either randomized sequences of standards or by sequences including a predictive sequence signaling the occurrence of a target event. PD

Download English Version:

<https://daneshyari.com/en/article/7318062>

Download Persian Version:

<https://daneshyari.com/article/7318062>

[Daneshyari.com](https://daneshyari.com)