

Accepted Manuscript

Condensate of μ -Bose gas as a model of dark matter

A.M. Gavrilik, I.I. Kachurik, M.V. Khelashvili, A.V. Nazarenko

PII: S0378-4371(18)30537-5
DOI: <https://doi.org/10.1016/j.physa.2018.05.001>
Reference: PHYSA 19541

To appear in: *Physica A*

Received date: 8 November 2017

Revised date: 27 April 2018

Please cite this article as: A.M. Gavrilik, I.I. Kachurik, M.V. Khelashvili, A.V. Nazarenko, Condensate of μ -Bose gas as a model of dark matter, *Physica A* (2018), <https://doi.org/10.1016/j.physa.2018.05.001>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



“Condensate of μ -Bose gas as a model of dark matter”

A.M. Gavrilik, I.I. Kachurik, M.V. Khelashvili, A.V. Nazarenko

Highlights

- Bose-condensate models of dark matter, though popular, have some **difficulties**
- We explore μ -deformed Bose gas model and propose it for modeling dark matter
- Usage of μ -Bose gas model implies effective account of interaction between bosons
- Thermodynamic geometry of μ -Bose gas confirms existence of Bose-like condensate
- The virtues of μ -Bose gas model enable its use for effective modeling of dark matter

Download English Version:

<https://daneshyari.com/en/article/7375252>

Download Persian Version:

<https://daneshyari.com/article/7375252>

[Daneshyari.com](https://daneshyari.com)