

Accepted Manuscript

Lane formation and crystallization of active matter in a narrow channel

H.E. Ribeiro, F.Q. Potiguar

PII: S0378-4371(18)30322-4
DOI: <https://doi.org/10.1016/j.physa.2018.03.014>
Reference: PHYSA 19348

To appear in: *Physica A*

Received date: 16 November 2017

Revised date: 19 February 2018

Please cite this article as: H.E. Ribeiro, F.Q. Potiguar, Lane formation and crystallization of active matter in a narrow channel, *Physica A* (2018), <https://doi.org/10.1016/j.physa.2018.03.014>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights

- The emergence of particle lanes depending on channel width is discussed.
- Crystallization appears as a consequence of the lane formation.
- Crystallization is kept for a certain wall and bulk particles fraction.
- For very low rotational noise, the crystal formation is unfavored.

Download English Version:

<https://daneshyari.com/en/article/7375451>

Download Persian Version:

<https://daneshyari.com/article/7375451>

[Daneshyari.com](https://daneshyari.com)