

Accepted Manuscript

Optimal topologies for maximizing network transmission capacity

Zhenhao Chen, Jiajing Wu, Zhihai Rong, Chi K. Tse

PII: S0378-4371(17)31335-3
DOI: <https://doi.org/10.1016/j.physa.2017.12.084>
Reference: PHYSA 19014

To appear in: *Physica A*

Received date: 17 October 2017
Revised date: 21 November 2017

Please cite this article as: Z. Chen, J. Wu, Z. Rong, C.K. Tse, Optimal topologies for maximizing network transmission capacity, *Physica A* (2017), <https://doi.org/10.1016/j.physa.2017.12.084>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Highlights:

1 A link rewiring approach for generating optimal network topologies to maximize network transmission capacity is proposed.

2 An optimal network for traffic transmission is more likely to have a core-periphery structure while assortative mixing and the rich-club phenomenon may have negative impacts on network performance.

3 Based on the observations of the optimized networks, an efficient method to improve the transmission capacity of large-scale networks is proposed.

Download English Version:

<https://daneshyari.com/en/article/7375933>

Download Persian Version:

<https://daneshyari.com/article/7375933>

[Daneshyari.com](https://daneshyari.com)