Accepted Manuscript

Average geodesic distance of skeleton networks of Sierpinski tetrahedron

Jinjin Yang, Songjing Wang, Lifeng Xi, Yongchao Ye

 PII:
 S0378-4371(17)31294-3

 DOI:
 https://doi.org/10.1016/j.physa.2017.12.051

 Reference:
 PHYSA 18981

 To appear in:
 Physica A

Received date: 29 September 2017



Please cite this article as: J. Yang, S. Wang, L. Xi, Y. Ye, Average geodesic distance of skeleton networks of Sierpinski tetrahedron, *Physica A* (2017), https://doi.org/10.1016/j.physa.2017.12.051

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

HIGHLIGHTS

The asymptotic formula of average distance for tetrahedron networks are obtained. The average geodesic distance of the Sierpinski tetrahedron is described as an integral. The finite patterns for integrals of geodesic distance are observed.

Download English Version:

https://daneshyari.com/en/article/7376125

Download Persian Version:

https://daneshyari.com/article/7376125

Daneshyari.com