

Accepted Manuscript

Pollen taphonomy from hyaena scats and coprolites: preservation and quantitative differences

Graciela Gil-Romera, Frank H. Neumann, Louis Scott, Miguel Sevilla-Callejo, Yolanda Fernández-Jalvo



PII: S0305-4403(14)00076-4

DOI: [10.1016/j.jas.2014.02.027](https://doi.org/10.1016/j.jas.2014.02.027)

Reference: YJASC 3988

To appear in: *Journal of Archaeological Science*

Received Date: 27 September 2013

Revised Date: 17 February 2014

Accepted Date: 25 February 2014

Please cite this article as: Gil-Romera, G., Neumann, F.H., Scott, L., Sevilla-Callejo, M., Fernández-Jalvo, Y., Pollen taphonomy from hyaena scats and coprolites: preservation and quantitative differences, *Journal of Archaeological Science* (2014), doi: 10.1016/j.jas.2014.02.027.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Table 1

Sample code	Depth	Cal yr BP
EQ8463	67.5	11090
EQ8468	90	11883
EQ8470	97.5	13049
EQ8471	97.5	13049
EQ8472	105	14169
EQ8473	105	14169
EQ8475	112.5	15288

Table 1: Age estimates of the coprolites found in Equus Cave based on radiocarbon dates (Scott, 1987; Johnson et al, 1997) that were calibrated with CALP for the Southern Hemisphere (Talma and Vogel, 2006; Scott et al., 2012).

Download English Version:

<https://daneshyari.com/en/article/7443345>

Download Persian Version:

<https://daneshyari.com/article/7443345>

[Daneshyari.com](https://daneshyari.com)