

Author's Accepted Manuscript

Effect of tsunami drill experience on evacuation behavior after the onset of the Great East Japan Earthquake

Naoki Nakaya, Harumi Nemoto, Carine Yi, Ayako Sato, Kotomi Shingu, Tomoka Shoji, Shosuke Sato, Naho Tsuchiya, Tomohiro Nakamura, Akira Narita, Mana Kogure, Yumi Sugawara, Zhiqian Yu, Nicole Gunawansa, Shinichi Kuriyama, Osamu Murao, Takeshi Sato, Fumihiko Imamura, Ichiro Tsuji, Atsushi Hozawa, Hiroaki Tomita



www.elsevier.com/locate/ijdr

PII: S2212-4209(17)30371-0
DOI: <https://doi.org/10.1016/j.ijdr.2018.02.037>
Reference: IJDRR819

To appear in: *International Journal of Disaster Risk Reduction*

Received date: 17 December 2017
Revised date: 18 February 2018
Accepted date: 21 February 2018

Cite this article as: Naoki Nakaya, Harumi Nemoto, Carine Yi, Ayako Sato, Kotomi Shingu, Tomoka Shoji, Shosuke Sato, Naho Tsuchiya, Tomohiro Nakamura, Akira Narita, Mana Kogure, Yumi Sugawara, Zhiqian Yu, Nicole Gunawansa, Shinichi Kuriyama, Osamu Murao, Takeshi Sato, Fumihiko Imamura, Ichiro Tsuji, Atsushi Hozawa and Hiroaki Tomita, Effect of tsunami drill experience on evacuation behavior after the onset of the Great East Japan Earthquake, *International Journal of Disaster Risk Reduction*, <https://doi.org/10.1016/j.ijdr.2018.02.037>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Earthquake

Naoki Nakaya ^a, Harumi Nemoto ^{b,c}, Carine Yi ^b, Ayako Sato ^a, Kotomi Shingu ^a, Tomoka Shoji ^a, Shosuke Sato ^{b,c}, Naho Tsuchiya ^a, Tomohiro Nakamura ^a, Akira Narita ^a, Mana Kogure ^a, Yumi Sugawara ^d, Zhiqian Yu ^{b,c}, Nicole Gunawansa ^e, Shinichi Kuriyama ^{a,b,c,d}, Osamu Murao ^{b,c}, Takeshi Sato ^{b,c}, Fumihiko Imamura ^{b,c}, Ichiro Tsuji ^{a,d}, Atsushi Hozawa ^{a,d}, Hiroaki Tomita ^{a,b,c,d}

^a Tohoku Medical Megabank Organization, Tohoku University, 2-1 Seiryō-Machi, Aoba-ku, Sendai 980-8573, Japan.

^b International Research Institute of Disaster Science, Tohoku University, Aramaki Aza-Aoba 468-1, Aoba-ku, Sendai 980-0845, Japan.

^c Core Research Cluster of Disaster Science, Tohoku University

^d Graduate School of Medicine, Tohoku University, 1-1 Seiryō-machi, Aoba-ku, Sendai 980-8574, Japan.

^e Washington and Lee University, Early-Fielding, 3 Lee Ave., Lexington, VA 24450, US.

***Correspondence to:** Hiroaki Tomita, MD, PhD, Department of Disaster Psychiatry, International Research Institute of Disaster Science, Tohoku University, 2-1 Seiryō-Machi, Aoba-ku, Sendai 980-8573, Japan.

Telephone: +81-22-717-7897 / Fax: +81-22-717-6285. htomita@med.tohoku.ac.jp

Abstract

Download English Version:

<https://daneshyari.com/en/article/7471527>

Download Persian Version:

<https://daneshyari.com/article/7471527>

[Daneshyari.com](https://daneshyari.com)