


Accepted Manuscript

Difference in sensitivities of blood HDL cholesterol and LDL cholesterol levels to alcohol in middle-aged Japanese men

Ichiro Wakabayashi



PII: S0741-8329(17)30830-3

DOI: [10.1016/j.alcohol.2017.08.011](https://doi.org/10.1016/j.alcohol.2017.08.011)

Reference: ALC 6720

To appear in: *Alcohol*

Received Date: 18 July 2017

Revised Date: 18 August 2017

Accepted Date: 18 August 2017

Please cite this article as: Wakabayashi I., Difference in sensitivities of blood HDL cholesterol and LDL cholesterol levels to alcohol in middle-aged Japanese men, *Alcohol* (2017), doi: 10.1016/j.alcohol.2017.08.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Difference in sensitivities of blood HDL cholesterol and LDL cholesterol levels to alcohol in middle-aged Japanese men

Author: Ichiro Wakabayashi

From: Department of Environmental and Preventive Medicine, Hyogo College of Medicine, Nishinomiya, Hyogo 663-8501, Japan

Corresponding author:

Ichiro Wakabayashi, MD & PhD

Department of Environmental and Preventive Medicine,

Hyogo College of Medicine,

Mukogawa-cho 1-1, Nishinomiya, Hyogo 663-8501, Japan

Tel: +81-798-45-6561; Fax: +81-798-45-6563

E-mail: wakabaya@hyo-med.ac.jp

Download English Version:

<https://daneshyari.com/en/article/7501490>

Download Persian Version:

<https://daneshyari.com/article/7501490>

[Daneshyari.com](https://daneshyari.com)