

Accepted Manuscript

Title: Predictors of treatment initiation for alcohol use disorders in primary care

Authors: Katherine E. Watkins, Allison Ober, Colleen McCullough, Claude Setodji, Karen Lamp, Mimi Lind, Sarah B. Hunter, Karen Chan Osilla



PII: S0376-8716(18)30382-X
DOI: <https://doi.org/10.1016/j.drugalcdep.2018.06.021>
Reference: DAD 7051

To appear in: *Drug and Alcohol Dependence*

Received date: 2-3-2018
Revised date: 14-6-2018
Accepted date: 15-6-2018

Please cite this article as: Watkins KE, Ober A, McCullough C, Setodji C, Lamp K, Lind M, Hunter SB, Chan Osilla K, Predictors of treatment initiation for alcohol use disorders in primary care, *Drug and Alcohol Dependence* (2018), <https://doi.org/10.1016/j.drugalcdep.2018.06.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Predictors of treatment initiation for alcohol use disorders in primary care

Katherine E. Watkins^a, kwatkins@rand.org

Allison Ober^a, ober@rand.org

Colleen McCullough^a, cmccullo@rand.org

Claude Setodji^b, setodji@rand.org

Karen Lamp^c, KLamp@mednet.ucla.edu

Mimi Lind^c, MLind@mednet.ucla.edu

Sarah B. Hunter^a, shunter@rand.org

Karen Chan Osilla^a, karenc@rand.org

^aRAND Corporation, 1776 Main Street, Santa Monica, CA, 90407, USA

^bRAND Corporation, 4570 Fifth Avenue, Suite 600, Pittsburgh, PA, 15213, USA

^cVenice Family Clinic, 604 Rose Avenue, Venice, CA, 90291, USA

correspondence:

Katherine Watkins

RAND Corporation

1776 Main Street, Santa Monica, CA, 90407

Phone: 310-393-0411 x6509

E-Mail: kwatkins@rand.org

Highlights

- In addition to need, patient factors predicted primary-care based alcohol treatment
- Previously talking with a professional predicted subsequent treatment
- Receiving brief therapy may help patients accept pharmacotherapy

Download English Version:

<https://daneshyari.com/en/article/7502659>

Download Persian Version:

<https://daneshyari.com/article/7502659>

[Daneshyari.com](https://daneshyari.com)