


Accepted Manuscript

Title: Risks of fatal opioid overdose during the first year following nonfatal overdose

Authors: Mark Olfson, Melanie Wall, Shuai Wang, Stephen Crystal, Carlos Blanco



PII: S0376-8716(18)30346-6
DOI: <https://doi.org/10.1016/j.drugalcdep.2018.06.004>
Reference: DAD 7029

To appear in: *Drug and Alcohol Dependence*

Received date: 20-12-2017
Revised date: 1-6-2018
Accepted date: 4-6-2018

Please cite this article as: Olfson M, Wall M, Wang S, Crystal S, Blanco C, Risks of fatal opioid overdose during the first year following nonfatal overdose, *Drug and Alcohol Dependence* (2018), <https://doi.org/10.1016/j.drugalcdep.2018.06.004>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Risks of fatal opioid overdose during the first year following nonfatal overdose*

Mark Olfson ^a, Melanie Wall ^a, Shuai Wang ^a, Stephen Crystal ^b, Carlos Blanco^c

^a Department of Psychiatry, College of Physicians and Surgeons, Columbia University and the New York State Psychiatric Institute, New York, NY, USA

^b Center for Health Services Research, Institute for Health, Health Care Policy and Aging Research; Rutgers, The State University of New Jersey, New Brunswick, NJ, USA

^c National Institute on Drug Abuse, Division of Epidemiology, Services, and Prevention Research, Rockville, MD, USA

Correspondence:

Mark Olfson

Department of Psychiatry, Columbia University Medical Center,

1051 Riverside Drive, New York, NY, USA

Phone: 646-774-6413

mo49@cumc.columbia.edu

* Supplementary material can be found by accessing the online version of this paper at <http://dx.doi.org/doi:...>

Highlights

- Approximately 1% of nonfatal opioid overdoses have fatal overdoses within 1 year.
- Nonfatal opioid overdoses involving heroin are at increased risk of fatal overdose.
- Nonfatal overdoses requiring ventilation are at increased risk of fatal overdose.

Download English Version:

<https://daneshyari.com/en/article/7502721>

Download Persian Version:

<https://daneshyari.com/article/7502721>

[Daneshyari.com](https://daneshyari.com)