

Accepted Manuscript

Title: A cluster-analytic profiling of heroin-dependent patients based on level, clinical adequacy, and patient-desired adjustment of buprenorphine dosage during buprenorphine-naloxone maintenance treatment in sixteen Spanish centers



Authors: Saul Alcaraz, Francisco González-Saiz, Joan Trujols, Esperanza Vergara-Moragues, Núria Siñol, José Pérez de los Cobos, the Buprenorphine/Naloxone Survey Group

PII: S0376-8716(18)30182-0
DOI: <https://doi.org/10.1016/j.drugalcdep.2018.02.020>
Reference: DAD 6892

To appear in: *Drug and Alcohol Dependence*

Received date: 21-12-2017
Revised date: 14-2-2018
Accepted date: 24-2-2018

Please cite this article as: { <https://doi.org/>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A cluster-analytic profiling of heroin-dependent patients based on level, clinical adequacy, and patient-desired adjustment of buprenorphine dosage during buprenorphine-naloxone maintenance treatment in sixteen Spanish centers*

Saul Alcaraz ^a, Francisco González-Saiz ^{b, c}, Joan Trujols ^{a, d, e}, Esperanza Vergara-Moragues ^f, Núria Siñol ^a, José Pérez de los Cobos ^{a, d, g}, and the Buprenorphine/Naloxone Survey Group ¹

^aAddictive Behaviours Unit, Department of Psychiatry, Hospital de la Santa Creu i Sant Pau, Biomedical Research Institute Sant Pau (IIB Sant Pau), Barcelona, Spain.

^bInstituto de Investigación e Innovación Biomédica de Cádiz (INiBICA), Cádiz, Spain.

^cUnidad de Salud Mental Comunitaria Villamartín, UGC Salud Mental, Área de Gestión Sanitaria Norte de Cádiz, Servicio Andaluz de Salud, Jerez de la Frontera, Spain.

^dCentro de Investigación Biomédica en Red de Salud Mental (CIBERSAM), Madrid, Spain.

^e Grup de Tècniques Estadístiques Avançades Aplicades a la Psicologia (GTEAAP), Universitat de Barcelona (UB), Barcelona, Spain

^fDepartamento de Psicología, Universidad Internacional de la Rioja (UNIR), Logroño, Spain.

^gDepartament de Psiquiatria i Medicina Legal, Universitat Autònoma de Barcelona, Bellaterra, Spain.

¹The Buprenorphine/Naloxone Survey Group includes (in addition to the authors above mentioned) the following authors. Andalusia: Salvador Zambrano (Centro de Tratamiento Ambulatorio Torreblanca, Sevilla); Catalonia: Francina Fonseca, Marta Torrens (Centre d'Atenció i Seguiment [CAS] Barceloneta Hospital del Mar, IMIM [Institut Hospital del Mar d'Investigacions Mèdiques] and Universitat Autònoma de Barcelona, Barcelona), Jordi Bordas, Begoña Gonzalvo (CAS Benito Menni, Benito Menni CASM-Germanes Hospitalàries, Sant Boi de Llobregat); José Moreno, Larina Morozova, Lara Treviño (CAS Garbivent,

Download English Version:

<https://daneshyari.com/en/article/7503037>

Download Persian Version:

<https://daneshyari.com/article/7503037>

[Daneshyari.com](https://daneshyari.com)