

Accepted Manuscript

Title: Performance of cigarette susceptibility index among e-cigarette and hookah users

Authors: Jessica L. Barrington-Trimis, Adam M. Leventhal, Todd A. Alonzo, Tess Boley Cruz, Robert Urman, Feifei Liu, Mary Ann Pentz, Jennifer B. Unger, Rob McConnell



PII: S0376-8716(17)30435-0
DOI: <http://dx.doi.org/10.1016/j.drugalcdep.2017.08.005>
Reference: DAD 6625

To appear in: *Drug and Alcohol Dependence*

Received date: 26-2-2017
Revised date: 5-8-2017
Accepted date: 7-8-2017

Please cite this article as: Barrington-Trimis, Jessica L., Leventhal, Adam M., Alonzo, Todd A., Cruz, Tess Boley, Urman, Robert, Liu, Feifei, Pentz, Mary Ann, Unger, Jennifer B., McConnell, Rob, Performance of cigarette susceptibility index among e-cigarette and hookah users. *Drug and Alcohol Dependence* <http://dx.doi.org/10.1016/j.drugalcdep.2017.08.005>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Performance of cigarette susceptibility index among e-cigarette and hookah users*

Jessica L. Barrington-Trimis, Adam M. Leventhal, Todd A. Alonzo, Tess Boley Cruz,
Robert Urman, Feifei Liu, Mary Ann Pentz, Jennifer B. Unger, Rob McConnell

Department of Preventive Medicine, Keck School of Medicine
University of Southern California

Correspondence:

Jessica Barrington-Trimis
2001 N. Soto Street, 230-D
Los Angeles, CA 90089
Email: jtrimis@usc.edu
Phone: 323-442-8292
Fax: 323-865-0103

Highlights

- Performance of the susceptibility index differed by use of e-cigarettes and hookah.
- Performance of the index differed by immersion in a pro-tobacco environment.
- Use of the measure to estimate future cigarette initiation may be inappropriate.

Abstract

Objective: Susceptibility to cigarette smoking has been used since the mid-1990s as a measure to identify youth at risk of cigarette initiation. However, it is unclear how well this measure predicts

* Supplementary material can be found by accessing the online version of this paper at <http://dx.doi.org> and by entering doi:...

Download English Version:

<https://daneshyari.com/en/article/7503278>

Download Persian Version:

<https://daneshyari.com/article/7503278>

[Daneshyari.com](https://daneshyari.com)