

Accepted Manuscript

The split-plot design was useful for evaluating complex, multi-level interventions but there is need for improvement in its design and report

Beatriz Goulão, Graeme MacLennan, Craig Ramsay

PII: S0895-4356(17)30401-8

DOI: [10.1016/j.jclinepi.2017.10.019](https://doi.org/10.1016/j.jclinepi.2017.10.019)

Reference: JCE 9515

To appear in: *Journal of Clinical Epidemiology*


Received Date: 14 April 2017

Revised Date: 20 September 2017

Accepted Date: 30 October 2017

Please cite this article as: Goulão B, MacLennan G, Ramsay C, The split-plot design was useful for evaluating complex, multi-level interventions but there is need for improvement in its design and report, *Journal of Clinical Epidemiology* (2017), doi: 10.1016/j.jclinepi.2017.10.019.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



The split-plot design was useful for evaluating complex, multi-level interventions but there is need for improvement in its design and report

Beatriz Goulão^a, Graeme MacLennan^a, Craig Ramsay^a

^a Health Services Research Unit, University of Aberdeen (address below)

Corresponding author:

Beatriz Goulão

Health Services Research Unit

3rd Floor

University of Aberdeen

Health Sciences Building

Foresterhill

Aberdeen

AB25 2ZD

UK

Email: beatriz.goulao@abdn.ac.uk

Tel: +44 1224 438086

Fax: +44 1224 438165

Download English Version:

<https://daneshyari.com/en/article/7518881>

Download Persian Version:

<https://daneshyari.com/article/7518881>

[Daneshyari.com](https://daneshyari.com)