


Accepted Manuscript

Interpretation of epidemiological studies very often lacked adequate consideration of confounding

Lars G. Hemkens, MD MPH, senior researcher, Hannah Ewald, MPH, research fellow, Florian Naudet, MD PhD, post-doctoral fellow, Aviv Ladanie, MSc, research fellow, Jonathan G. Shaw, MD MS, clinical assistant professor, Gautam Sajeev, ScD, student, John P.A. Ioannidis, MD DSc, director



PII: S0895-4356(17)30357-8

DOI: [10.1016/j.jclinepi.2017.09.013](https://doi.org/10.1016/j.jclinepi.2017.09.013)

Reference: JCE 9484

To appear in: *Journal of Clinical Epidemiology*

Received Date: 4 April 2017

Revised Date: 19 July 2017

Accepted Date: 18 September 2017

Please cite this article as: Hemkens LG, Ewald H, Naudet F, Ladanie A, Shaw JG, Sajeev G, Ioannidis JPA, Interpretation of epidemiological studies very often lacked adequate consideration of confounding, *Journal of Clinical Epidemiology* (2017), doi: 10.1016/j.jclinepi.2017.09.013.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Interpretation of epidemiological studies very often lacked adequate consideration of confounding

Lars G. Hemkens MD MPH, senior researcher ^{1,2}; Hannah Ewald MPH, research fellow ¹; Florian Naudet MD PhD, post-doctoral fellow ³; Aviv Ladanie MSc, research fellow ¹; Jonathan G. Shaw MD MS, clinical assistant professor ⁴, Gautam Sajevev ScD, student ^{5,6}, John P.A. Ioannidis MD DSc, director ^{2,3,6,7*}

1 Basel Institute for Clinical Epidemiology and Biostatistics, University Hospital Basel, University of Basel, Basel, Switzerland

2 Stanford Prevention Research Center, Department of Medicine, Stanford University School of Medicine, Stanford, California, USA

3 Meta-Research Innovation Center at Stanford (METRICS)

4 Division of Primary Care and Population Health, Stanford University School of Medicine, Stanford, California, USA

5 Department of Epidemiology, Harvard T.H. Chan School of Public Health, Boston, Massachusetts, USA

6 Department of Health Research and Policy, Stanford University School of Medicine, Stanford, California, USA

7 Department of Statistics, Stanford University School of Humanities and Sciences, Stanford, California, USA

*** CORRESPONDENCE TO:**

John P A Ioannidis, MD, DSc
Stanford Prevention Research Center
Medical School Office Building, Room X306
1265 Welch Rd
Stanford, CA 94305, USA
Tel: 650 725 5465
jioannid@stanford.edu

Word count abstract:	249
Word count main text:	3318
Number of tables:	4
Number of figures:	1
Number of references:	30
Number of online tables:	6

Download English Version:

<https://daneshyari.com/en/article/7519117>

Download Persian Version:

<https://daneshyari.com/article/7519117>

[Daneshyari.com](https://daneshyari.com)