Accepted Manuscript

The new Measuring Multimorbidity index predicted mortality better than Charlson and Elixhauser indices amongst the general population

James Stanley, PhD, Diana Sarfati, PhD, MB ChB

PII: S0895-4356(17)30441-9

DOI: 10.1016/j.jclinepi.2017.08.005

Reference: JCE 9456

To appear in: Journal of Clinical Epidemiology

Received Date: 26 April 2017

Revised Date: 1 August 2017

Accepted Date: 11 August 2017

Please cite this article as: Stanley J, Sarfati D, The new Measuring Multimorbidity index predicted mortality better than Charlson and Elixhauser indices amongst the general population, *Journal of Clinical Epidemiology* (2017), doi: 10.1016/j.jclinepi.2017.08.005.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



AUTHORS:

James Stanley ^{a,b} (PhD)

Diana Sarfati^a (PhD, MB ChB)

AFFILIATIONS:

a Department of Public Health, University of Otago, Wellington

b Biostatistical Group, University of Otago, Wellington

POSTAL ADDRESS:

Department of Public Health, University of Otago, Wellington; PO Box 7343, Wellington South, New Zealand EMAIL: james.stanley@otago.ac.nz; diana.sarfati@otago.ac.nz

CORRESPONDING AUTHOR:

Dr James Stanley Department of Public Health University of Otago, Wellington PO Box 7343 Wellington South New Zealand Tel. + 64 4 918 6044 Fax. + 64 4 385 5539 e: james.stanley@otago.ac.nz

WORD COUNT: 4696 (abstract = 200 words)

Download English Version:

https://daneshyari.com/en/article/7519229

Download Persian Version:

https://daneshyari.com/article/7519229

Daneshyari.com