


# Accepted Manuscript

An analysis of protocols and publications suggested that most discontinuations of clinical trials were not based on pre-planned interim analyses or stopping rules

Mihaela Stegert, Benjamin Kasenda, Erik von Elm, John J. You, Anette Blümle, Yuki Tomonaga, Ramon Saccilotto, Alain Amstutz, Theresa Bengough, Matthias Briel



PII: S0895-4356(15)00267-X

DOI: [10.1016/j.jclinepi.2015.05.023](https://doi.org/10.1016/j.jclinepi.2015.05.023)

Reference: JCE 8897

To appear in: *Journal of Clinical Epidemiology*

Received Date: 15 October 2014

Revised Date: 15 May 2015

Accepted Date: 19 May 2015

Please cite this article as: Stegert M, Kasenda B, von Elm E, You JJ, Blümle A, Tomonaga Y, Saccilotto R, Amstutz A, Bengough T, Briel M, and the DISCO study group, An analysis of protocols and publications suggested that most discontinuations of clinical trials were not based on pre-planned interim analyses or stopping rules, *Journal of Clinical Epidemiology* (2015), doi: 10.1016/j.jclinepi.2015.05.023.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# An analysis of protocols and publications suggested that most discontinuations of clinical trials were not based on pre-planned interim analyses or stopping rules

Mihaela Stegert <sup>1,24</sup>, Benjamin Kasenda <sup>1,19</sup>, Erik von Elm <sup>2</sup>, John J. You <sup>3,5</sup>, Anette Blümle <sup>4</sup>, Yuki Tomonaga <sup>6</sup>, Ramon Saccilotto <sup>1</sup>, Alain Amstutz <sup>1</sup>, Theresa Bengough <sup>2,28</sup>, Matthias Briel <sup>1,3\*</sup>, and the DISCO study group

\* Corresponding author

<sup>1</sup> Basel Institute for Clinical Epidemiology and Biostatistics, University Hospital of Basel, Hebelstrasse 10, 4031 Basel, Switzerland

<sup>2</sup> Cochrane Switzerland, Institute of Social and Preventive Medicine (IUMSP), Lausanne University Hospital, Lausanne, Switzerland

<sup>3</sup> Department of Clinical Epidemiology and Biostatistics, McMaster University, 1280 Main Street West, HSC-2C8, Hamilton, Ontario, Canada L8S 4K1

<sup>4</sup> German Cochrane Centre, Medical Center - University of Freiburg, Berliner Allee 29, 79110 Freiburg, Germany

<sup>5</sup> Department of Medicine, McMaster University, 1280 Main Street West, HSC-2C8, Hamilton, Ontario, Canada L8S 4K1

<sup>6</sup> Epidemiology, Biostatistics and Prevention Institute, University of Zurich, Hirschengraben 84, 8001 Zurich, Switzerland

<sup>19</sup> Clinic of Medical Oncology, University Hospital Basel, Basel Switzerland

<sup>24</sup> University Hospital Basel, Clinic of Internal Medicine, Basel, Switzerland

<sup>28</sup> Austrian Federal Institute for Health Care, Department of Health and Society, Stubenring 6, 1010 Vienna, Austria

## Corresponding author:

Matthias Briel MD MSc

Basel Institute for Clinical Epidemiology and Biostatistics  
University Hospital Basel, Hebelstrasse 10, 4031 Basel, Switzerland  
Phone: +41-(0) 61 265 3100  
Fax: +41-(0) 61 265 3109  
Email: matthias.briel@usb.ch

Word count abstract:	196 (max 200)
Word count main text:	3598 (max 5000)
Number of tables:	3
Online tables:	8
Number of figures:	1
Number of references:	24

Download English Version:

<https://daneshyari.com/en/article/7520388>

Download Persian Version:

<https://daneshyari.com/article/7520388>

[Daneshyari.com](https://daneshyari.com)