

Author's Accepted Manuscript

A feasibility randomised controlled trial of acupressure to assist spontaneous labour for primigravid women experiencing a post-date pregnancy

Lyndall Mollart, Virginia Skinner, Maralyn Foureur



PII: S0266-6138(16)00058-9
DOI: <http://dx.doi.org/10.1016/j.midw.2016.02.020>
Reference: YMIDW1826

To appear in: *Midwifery*

Received date: 24 May 2015
Revised date: 9 February 2016
Accepted date: 23 February 2016

Cite this article as: Lyndall Mollart, Virginia Skinner and Maralyn Foureur, A feasibility randomised controlled trial of acupressure to assist spontaneous labour for primigravid women experiencing a post-date pregnancy, *Midwifery* <http://dx.doi.org/10.1016/j.midw.2016.02.020>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and a review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A feasibility randomised controlled trial of acupuncture to assist spontaneous labour for primigravid women experiencing a post-date pregnancy

Lyndall Mollart^{a,b1,*}, Virginia Skinner^{c1}, Maralyn Foureur^{a1}

^aFaculty of Health, University of Technology Sydney, Broadway, New South Wales, 2007 Australia

^bKids & Families Division, Central Coast Local Health District, Gosford, New South Wales, 2251, Australia

^cSchool of Health, Charles Darwin University, Casuarina, Northern Territory, 0810, Australia

LyndallJoy.Mollart@student.uts.edu.au

Virginia.Skinner@cdu.edu.au

Maralyn.Foureur@uts.edu.au

*Corresponding author at: Faculty of Health, University of Technology Sydney, Broadway, New South Wales, 2007 Australia

Abstract

Objective: This Australian feasibility study aimed to determine; the willingness of women experiencing a post-date pregnancy to participate in a randomised controlled trial (RCT) of acupuncture and compliance with the study protocol. The study also aimed to determine the effect size of the primary outcome in order to calculate a sample size for a future appropriately powered RCT.

¹ The authors contributed equally to this work

Download English Version:

<https://daneshyari.com/en/article/7524614>

Download Persian Version:

<https://daneshyari.com/article/7524614>

[Daneshyari.com](https://daneshyari.com)