

# Accepted Manuscript

Quantification of receptor activation by oxytocin and vasopressin in endocytosis-coupled bioluminescence reduction assay using nanoKAZ

Isao Kii, Shino Hirahara-Owada, Masataka Yamaguchi, Takashi Niwa, Yuka Koike, Rie Sonamoto, Harumi Ito, Kayo Takahashi, Chihiro Yokoyama, Takuya Hayashi, Takamitsu Hosoya, Yasuyoshi Watanabe

PII: S0003-2697(18)30238-0

DOI: [10.1016/j.ab.2018.04.001](https://doi.org/10.1016/j.ab.2018.04.001)

Reference: YABIO 12981

To appear in: *Analytical Biochemistry*


Received Date: 3 March 2018


Revised Date: 3 April 2018

Accepted Date: 3 April 2018

Please cite this article as: I. Kii, S. Hirahara-Owada, M. Yamaguchi, T. Niwa, Y. Koike, R. Sonamoto, H. Ito, K. Takahashi, C. Yokoyama, T. Hayashi, T. Hosoya, Y. Watanabe, Quantification of receptor activation by oxytocin and vasopressin in endocytosis-coupled bioluminescence reduction assay using nanoKAZ, *Analytical Biochemistry* (2018), doi: 10.1016/j.ab.2018.04.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.





Download English Version:

<https://daneshyari.com/en/article/7556904>

Download Persian Version:

<https://daneshyari.com/article/7556904>

[Daneshyari.com](https://daneshyari.com)