


Accepted Manuscript

Detection and quantification of D-amino acid residues in peptides and proteins using acid hydrolysis

Tetsuya Miyamoto, Hiroshi Homma



PII: S1570-9639(17)30300-X

DOI: <https://doi.org/10.1016/j.bbapap.2017.12.010>

Reference: BBAPAP 40053

To appear in:

Received date: 20 October 2017

Revised date: 4 December 2017

Accepted date: 19 December 2017

Please cite this article as: Tetsuya Miyamoto, Hiroshi Homma , Detection and quantification of D-amino acid residues in peptides and proteins using acid hydrolysis. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbapap(2017), <https://doi.org/10.1016/j.bbapap.2017.12.010>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Detection and quantification of D-amino acid residues in peptides and proteins
using acid hydrolysis**

Tetsuya Miyamoto, Hiroshi Homma*

Graduate School of Pharmaceutical Sciences, Kitasato University, 5-9-1 Shirokane,
Minato-ku, Tokyo 108-8641, Japan

* Corresponding author.

H. Homma, Tel: +81-3-5791-6229; Fax: +81-3-5791-6381;

E-mail: hommah@pharm.kitasato-u.ac.jp

Abbreviations

NMDA, *N*-methyl-D-aspartate; DLP-2, defensin-like peptide-2; DAEP, D-aspartyl
endopeptidase; 2D-PAGE, two-dimensional polyacrylamide gel electrophoresis;
LC-MS/MS, liquid chromatography-tandem mass spectrometry; HPLC,

Download English Version:

<https://daneshyari.com/en/article/7560156>

Download Persian Version:

<https://daneshyari.com/article/7560156>

[Daneshyari.com](https://daneshyari.com)