

Active-site mutations improved the transglycosylation activity of Stenotrophomonas maltophilia chitinase a

Bhoopal Bhuvanachandra, Jogi Madhuprakash, Appa Rao Podile

PII: S1570-9639(17)30292-3
DOI: doi:10.1016/j.bbapap.2017.12.003
Reference: BBAPAP 40046

To appear in:

Received date: 1 July 2017
Revised date: 9 November 2017
Accepted date: 8 December 2017

Please cite this article as: Bhoopal Bhuvanachandra, Jogi Madhuprakash, Appa Rao Podile , Active-site mutations improved the transglycosylation activity of Stenotrophomonas maltophilia chitinase a. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Bbapap(2017), doi:10.1016/j.bbapap.2017.12.003

Active-site mutations improved the transglycosylation activity of *Stenotrophomonas maltophilia* chitinase A

Bhoopal Bhuvanachandra[a], Jogi Madhuprakash[a], and Appa Rao Podile*[a]

[a]Department of Plant Sciences, School of Life Sciences, University of Hyderabad, Gachibowli, Hyderabad, India

*Author for correspondence:
Prof. Appa Rao Podile
Department of Plant Sciences
School of Life Sciences
University of Hyderabad
Gachibowli,
Hyderabad-500046, India
Tel: +91-40-23134503
Fax: +91-40-23010120
E-mail: podilerao@gmail.com