

HPTLC fingerprint profile analysis of cocoa proanthocyanidins depending on origin and genotype

Vasilisa Pedan, Carlo Weber, Tiên Do, Norbert Fischer, Eike Reich, Sascha Rohn

PII: S0308-8146(17)31445-0
DOI: http://dx.doi.org/10.1016/j.foodchem.2017.08.109
Reference: FOCH 21658

To appear in: *Food Chemistry*

Received Date: 4 February 2017
Revised Date: 19 May 2017
Accepted Date: 30 August 2017

Please cite this article as: Pedan, V., Weber, C., Do, T., Fischer, N., Reich, E., Rohn, S., HPTLC fingerprint profile analysis of cocoa proanthocyanidins depending on origin and genotype, *Food Chemistry* (2017), doi: http://dx.doi.org/10.1016/j.foodchem.2017.08.109

HPTLC fingerprint profile analysis of cocoa proanthocyanidins depending on origin and genotype

Vasilisa Pedan*[a], Carlo Weber[a], Tiên Do[b], Norbert Fischer[a], Eike Reich[b], Sascha Rohn[c]

[a] Zurich University of Applied Sciences, Life Sciences und Facility Management, 8820 Wädenswil, Switzerland

[b] CAMAG Laboratory, Sonnenmattstrasse 41, 4132 Muttenz, Switzerland

[c] University of Hamburg, Hamburg School of Food Science, Institute of Food Chemistry, Grindelallee 117, 20146 Hamburg, Germany

* Corresponding author: Vasilisa Pedan, Tel.: +41 589 345 392, Fax.: +41 589 345 001, E-Mail: vasilisa.pedan@zhaw.ch

Running title: HPTLC fingerprint profile of cocoa proanthocyanidins