

Accepted Manuscript

Inclusion Complex Formation between High Amylose Corn Starch and Alkyl-resorcinols from Rye Bran

Aynur Gunenc, Lingyan Kong, Ryan J. Elias, Gregory R. Ziegler


PII: S0308-8146(18)30399-6
DOI: <https://doi.org/10.1016/j.foodchem.2018.02.149>
Reference: FOCH 22533

To appear in: *Food Chemistry*

Received Date: 28 November 2017
Revised Date: 21 February 2018
Accepted Date: 27 February 2018

Please cite this article as: Gunenc, A., Kong, L., Elias, R.J., Ziegler, G.R., Inclusion Complex Formation between High Amylose Corn Starch and Alkylresorcinols from Rye Bran, *Food Chemistry* (2018), doi: <https://doi.org/10.1016/j.foodchem.2018.02.149>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Inclusion Complex Formation between High Amylose Corn Starch and Alkylresorcinols from Rye Bran

Aynur Gunenc^a, Lingyan Kong^b, Ryan J. Elias^a and Gregory R. Ziegler^{a*}

^a Department of Food Science, The Pennsylvania State University, University Park, PA 16802,
United States

^b Department of Human Nutrition and Hospitality Management, The University of Alabama,
Tuscaloosa, AL35487, United States

*Corresponding author. Tel.: +1 814 863 2960; fax: +1 814 863 6132. E-mail address:
grz1@psu.edu. Address: 341 Rodney A. Erickson Food Science Building, University Park, PA
16802, United States

Download English Version:

<https://daneshyari.com/en/article/7585001>

Download Persian Version:

<https://daneshyari.com/article/7585001>

[Daneshyari.com](https://daneshyari.com)