

Accepted Manuscript

Combination of sodium caseinate and succinylated alginate improved stability of high fat fish oil-in-water emulsions

Betül Yesiltas, Ann-Dorit Moltke Sørensen, Pedro J. García-Moreno, Sampson Anankanbil, Zheng Guo, Charlotte Jacobsen

PII: S0308-8146(18)30312-1

DOI: <https://doi.org/10.1016/j.foodchem.2018.02.074>

Reference: FOCH 22458

To appear in: *Food Chemistry*

Received Date: 4 August 2017

Revised Date: 27 January 2018

Accepted Date: 13 February 2018

Please cite this article as: Yesiltas, B., Sørensen, A.M., García-Moreno, P.J., Anankanbil, S., Guo, Z., Jacobsen, C., Combination of sodium caseinate and succinylated alginate improved stability of high fat fish oil-in-water emulsions, *Food Chemistry* (2018), doi: <https://doi.org/10.1016/j.foodchem.2018.02.074>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Combination of sodium caseinate and succinylated alginate improved stability of high fat fish oil-in-water emulsions

Betül Yesiltas^a, Ann-Dorit Moltke Sørensen^a, Pedro J. García-Moreno^a, Sampson Anankanbil^b, Zheng Guo^b, Charlotte Jacobsen^{a*}

betye@food.dtu.dk, adms@food.dtu.dk, pejeg@food.dtu.dk, sampsonanankanbil@eng.au.dk, guo@eng.au.dk, chja@food.dtu.dk

^aDivision of Food Technology, National Food Institute, Technical University of Denmark, Denmark

^bDivision of Lipid Biotechnology and Engineering, Department of Engineering, Aarhus University, Denmark

*Correspondence: Charlotte Jacobsen, National Food Institute, Technical University of Denmark, Kemitorvet, Building 204, 2800 Kgs. Lyngby, Tel: +45 23 27 90 75; e-mail: chja@food.dtu.dk

Highlights

- Fish oil content and type of emulsifier affected stability of fish o/w emulsions
- Addition of alginate improved stability of fish o/w emulsions stabilized with casein
- Long chain modified alginate showed better emulsifying capacity
- Short chain modified alginate improved physical and oxidative stability of emulsions

Download English Version:

<https://daneshyari.com/en/article/7585477>

Download Persian Version:

<https://daneshyari.com/article/7585477>

[Daneshyari.com](https://daneshyari.com)