

## Accepted Manuscript

Optimized *Camellia sinensis* var. *sinensis*, *Ilex paraguariensis*, and *Aspalathus linearis* blend presents high antioxidant and antiproliferative activities in a beverage model

Jânio S. Santos, Carolina T.P. Deolindo, Jessica F. Hoffmann, Fabio C. Chaves, Leonardo do Prado-Silva, Anderson S. Sant'Ana, Luciana Azevedo, Mariana Araújo Vieira do Carmo, Daniel Granato


PII: S0308-8146(18)30247-4  
DOI: <https://doi.org/10.1016/j.foodchem.2018.02.021>  
Reference: FOCH 22405

To appear in: *Food Chemistry*

Received Date: 11 October 2017  
Revised Date: 31 January 2018  
Accepted Date: 5 February 2018

Please cite this article as: Santos, J.S., Deolindo, C.T.P., Hoffmann, J.F., Chaves, F.C., do Prado-Silva, L., Sant'Ana, A.S., Azevedo, L., do Carmo, M.A.V., Granato, D., Optimized *Camellia sinensis* var. *sinensis*, *Ilex paraguariensis*, and *Aspalathus linearis* blend presents high antioxidant and antiproliferative activities in a beverage model, *Food Chemistry* (2018), doi: <https://doi.org/10.1016/j.foodchem.2018.02.021>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Optimized *Camellia sinensis* var. *sinensis*, *Ilex paraguariensis*, and *Aspalathus linearis* blend presents high antioxidant and antiproliferative activities in a beverage model**

Jânio S. Santos<sup>a</sup>, Carolina T. P. Deolindo<sup>b</sup>, Jessica F. Hoffmann<sup>c</sup>, Fabio C. Chaves<sup>c</sup>, Leonardo do Prado-Silva<sup>d</sup>, Anderson S. Sant'Ana<sup>d</sup>, Luciana Azevedo<sup>e</sup>, Mariana Araújo Vieira do Carmo<sup>e</sup>, Daniel Granato<sup>a,b\*</sup>

<sup>a</sup>Food Science and Technology Graduate Program, State University of Ponta Grossa, Av. Carlos Cavalcanti, 4748, 84030-900, Ponta Grossa, PR, Brazil.

<sup>b</sup>Department of Food Engineering, State University of Ponta Grossa, Av. Carlos Cavalcanti, 4748, 84030-900, Ponta Grossa, PR, Brazil.

<sup>c</sup>Graduate Program of Food Science and Technology, Agroindustrial Science and Technology Department, Federal University of Pelotas, Pelotas, RS, Brazil.

<sup>d</sup>Department of Food Science, Faculty of Food Engineering, State University of Campinas, Campinas, SP, Brazil.

<sup>e</sup>Federal University of Alfenas, Faculty of Nutrition, Rua Gabriel Monteiro da Silva, 714, 37130-000, Alfenas, MG, Brazil.

\* Corresponding author. E-mail addresses: dgranato@uepg.br, granatod@gmail.com

Download English Version:

<https://daneshyari.com/en/article/7585569>

Download Persian Version:

<https://daneshyari.com/article/7585569>

[Daneshyari.com](https://daneshyari.com)