

Accepted Manuscript

Charge and hydrophobicity of casein peptides influence transepithelial transport and bioavailability

Bo Wang, Bo Li

PII: S0308-8146(17)31488-7
DOI: <http://dx.doi.org/10.1016/j.foodchem.2017.09.032>
Reference: FOCH 21701

To appear in: *Food Chemistry*

Received Date: 16 May 2017
Revised Date: 4 September 2017
Accepted Date: 6 September 2017



Please cite this article as: Wang, B., Li, B., Charge and hydrophobicity of casein peptides influence transepithelial transport and bioavailability, *Food Chemistry* (2017), doi: <http://dx.doi.org/10.1016/j.foodchem.2017.09.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Charge and hydrophobicity of casein peptides
influencetranssepithelial transport and bioavailability**

Bo Wang^a, Bo Li^{a,b,c*}

^a College of Food Science and Nutritional Engineering, China Agricultural University,
Beijing 100083, China

^bKey Laboratory of Functional Dairy, Ministry of Education, Beijing 100083, China

^cBeijing Advanced Innovation Center for Food Nutrition and Human Health, College
of Food Science and Nutritional Engineering, China Agricultural University, Beijing
100083, China

* Corresponding author

Address: P.O. Box 294, Qinghua East Road 17, Haidian District, Beijing 100083,
People's Republic of China

Phone: 86-10-62738988

Download English Version:

<https://daneshyari.com/en/article/7586442>

Download Persian Version:

<https://daneshyari.com/article/7586442>

[Daneshyari.com](https://daneshyari.com)