
# An evaluation of the bioaccessibility of arsenic in corn and rice samples based on cloud point extraction and hydride generation coupled to atomic fluorescence spectrometry

José Martín Rosas Castor, Lindomar Portugal, Laura Ferrer, Laura Hinojosa-Reyes, Jorge Luis Guzmán-Mar, Aracely Hernández-Ramírez, Víctor Cerdà

PII: S0308-8146(16)30326-0
DOI: http://dx.doi.org/10.1016/j.foodchem.2016.02.149
Reference: FOCH 18870

To appear in: *Food Chemistry*

Received Date: 5 December 2015
Revised Date: 5 February 2016
Accepted Date: 25 February 2016

Please cite this article as: Castor, J.M.R., Portugal, L., Ferrer, L., Hinojosa-Reyes, L., Guzmán-Mar, J.L., Hernández-Ramírez, A., Cerdà, V., An evaluation of the bioaccessibility of arsenic in corn and rice samples based on cloud point extraction and hydride generation coupled to atomic fluorescence spectrometry, *Food Chemistry* (2016), doi: http://dx.doi.org/10.1016/j.foodchem.2016.02.149

# An evaluation of the bioaccessibility of arsenic in corn and rice samples based on cloud point extraction and hydride generation coupled to atomic fluorescence spectrometry

José Martín Rosas Castor[a,b], Lindomar Portugal[b], Laura Ferrer[b] , Laura Hinojosa-Reyes[a*], Jorge Luis Guzmán-Mar[a], Aracely Hernández-Ramírez[a] and Víctor Cerdà[b]

[a] *Universidad Autónoma de Nuevo León, UANL, Facultad de Ciencias Químicas, Cd. Universitaria, San Nicolás de los Garza, Nuevo León, C.P. 66451, Nuevo León, Mexico.*

[b] *Group of Analytical Chemistry, Automation and Environment, University of Balearic Islands, Cra. Valldemossa km 7.5. 07122 Palma de Mallorca, Spain*

*Corresponding author:* laura.hinojosary@uanl.edu.mx