

Accepted Manuscript

New acyclic *bis* phenylpropanoid and neolignans, from *Myristica fragrans* Houtt., exhibiting PARP-1 and NF- κ B inhibitory effects

Ulyana Muñoz Acuña, Peter J. Blanco Carcache, Susan Matthew, Esperanza J. Carcache de Blanco

PII: S0308-8146(16)30060-7

DOI: <http://dx.doi.org/10.1016/j.foodchem.2016.01.060>


Reference: FOCH 18634

To appear in: *Food Chemistry*

Received Date: 2 April 2015

Revised Date: 8 December 2015

Accepted Date: 14 January 2016



Please cite this article as: Acuña, U.M., Blanco Carcache, P.J., Matthew, S., Carcache de Blanco, E.J., New acyclic *bis* phenylpropanoid and neolignans, from *Myristica fragrans* Houtt., exhibiting PARP-1 and NF- κ B inhibitory effects, *Food Chemistry* (2016), doi: <http://dx.doi.org/10.1016/j.foodchem.2016.01.060>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**New acyclic *bis* phenylpropanoid and neolignans, from *Myristica fragrans* Houtt.,
exhibiting PARP-1 and NF- κ B inhibitory effects.**

Ulyana Muñoz Acuña^{a,b}, Peter J. Blanco Carcache^a, Susan Matthew^a, and Esperanza J. Carcache de
Blanco^{a,b*}.

^aDivision of Pharmacy Practice and Administration and ^bDivision of Medicinal Chemistry and
Pharmacognosy, College of Pharmacy, The Ohio State University, 141N Parks Hall 500 W. 12th Avenue,
Columbus, OH 43210.

*Corresponding author. Fax.: +1-614-292-1335. E-mail address: carcacha-de-blan.1@osu.edu

Download English Version:

<https://daneshyari.com/en/article/7589207>

Download Persian Version:

<https://daneshyari.com/article/7589207>

[Daneshyari.com](https://daneshyari.com)