

## Accepted Manuscript

Effect of solvents on the fractionation of high oleic–high stearic sunflower oil

Miguel A. Bootello, Rafael Garcés, Enrique Martínez-Force, Joaquín J. Salas

PII: S0308-8146(14)01521-0

DOI: <http://dx.doi.org/10.1016/j.foodchem.2014.09.136>

Reference: FOCH 16492

To appear in: *Food Chemistry*

Received Date: 26 May 2014

Revised Date: 26 August 2014

Accepted Date: 23 September 2014



Please cite this article as: Bootello, M.A., Garcés, R., Martínez-Force, E., Salas, J.J., Effect of solvents on the fractionation of high oleic–high stearic sunflower oil, *Food Chemistry* (2014), doi: <http://dx.doi.org/10.1016/j.foodchem.2014.09.136>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Effect of solvents on the fractionation of high oleic–high stearic  
sunflower oil**

Miguel A. Bootello, Rafael Garcés, Enrique Martínez-Force, Joaquín J. Salas\*

Instituto de la Grasa (CSIC), Av. Padre García Tejero, 4, 41012, Sevilla, Spain

\*Corresponding author: Joaquín J. Salas, Instituto de la Grasa (CSIC), Av. Padre García

Tejero, 4, 41012, Sevilla, Spain. E-mail address: [jjsalas@cica.es](mailto:jjsalas@cica.es);

Tel.: +34 954611550x264; Fax: +34 954616790

**Keywords:** High oleic high stearic sunflower oil, sunflower hard stearin, solvent fractionation, acetone, hexane, thermal behaviour.

**Running title:** Solvent fractionation of stearic sunflower oil

Download English Version:

<https://daneshyari.com/en/article/7594540>

Download Persian Version:

<https://daneshyari.com/article/7594540>

[Daneshyari.com](https://daneshyari.com)