Accepted Manuscript

Title: Rapid fabrication of ionic liquid-functionalized monolithic column via in-situ urea-formaldehyde polycondensation for pressurized capillary electrochromatography

Author: Jiabin Wang Fangling Wu Ruirui Xia Qi Zhao

Xucong Lin Zenghong Xie

PII: S0021-9673(16)30524-6

DOI: http://dx.doi.org/doi:10.1016/j.chroma.2016.04.069

Reference: CHROMA 357513

To appear in: Journal of Chromatography A

Received date: 28-1-2016 Revised date: 21-4-2016 Accepted date: 25-4-2016

Please cite this article as: Jiabin Wang, Fangling Wu, Ruirui Xia, Qi Zhao, Xucong Lin, Zenghong Xie, Rapid fabrication of ionic liquid-functionalized monolithic column via in-situ urea-formaldehyde polycondensation for pressurized capillary electrochromatography, Journal of Chromatography A http://dx.doi.org/10.1016/j.chroma.2016.04.069

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Rapid fabrication of ionic liquid-functionalized monolithic column via in-situ urea-formaldehyde polycondensation for pressurized capillary electrochromatography

Jiabin Wang 1,2 , Fangling Wu 2 , Ruirui Xia 1 , Qi Zhao 2 , Xucong Lin 1,* , Zenghong Xie 1

¹ Institute of Food Safety and Environment Monitoring, Fuzhou University, Fuzhou, 350108,

China

² Institute of Biomedical and Pharmaceutical Technology, Fuzhou University, Fuzhou, 350002,

China

*Corresponding author: Prof. Xucong Lin

Fax: +86-591-22866131

E-mail address: xulin@fzu.edu.cn

Download English Version:

https://daneshyari.com/en/article/7610060

Download Persian Version:

 $\underline{https://daneshyari.com/article/7610060}$

Daneshyari.com