## Accepted Manuscript

Title: Matrix solid phase dispersion assisted enzymatic hydrolysis as a novel approach for cocaine and opiates isolation from human hair

Author: Martha Míguez-Framil Pamela Cabarcos María Jesús Tabernero Ana María Bermejo Pilar Bermejo–Barrera Antonio Moreda–Piñeiro

PII: S0021-9673(13)01530-6

DOI: http://dx.doi.org/doi:10.1016/j.chroma.2013.09.063

Reference: CHROMA 354762

To appear in: Journal of Chromatography A

Received date: 30-7-2013 Revised date: 16-9-2013 Accepted date: 17-9-2013

Please cite this article as: M. Míguez-Framil, P. Cabarcos, M.J. Tabernero, A.M. Bermejo, P. Bermejo-Barrera, A. Moreda-Piñeiro, Matrix solid phase dispersion assisted enzymatic hydrolysis as a novel approach for cocaine and opiates isolation from human hair, *Journal of Chromatography A* (2013), http://dx.doi.org/10.1016/j.chroma.2013.09.063

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



## ACCEPTED MANUSCRIPT

- 1 Pronase E enzymatic hydrolysis (EH) of hair samples was assisted by matrix solid phase
- 2 dispersion (MSPD) > An integrated MSPD-EH on column solid phase extraction (SPE)
- 3 clean-up/pre-concentration procedure was developed. > Cocaine, benzoylecgonine, codeine,
- 4 morphine, and 6-monoacethylmorphine were simultaneously isolated from hair specimens. >
- 5 Measurements were performed by gas chromatography mass spectrometry (GC–MS).

6

7

## Download English Version:

## https://daneshyari.com/en/article/7613989

Download Persian Version:

https://daneshyari.com/article/7613989

<u>Daneshyari.com</u>