

Accepted Manuscript

Preconcentration and GC–MS determination of caffeine in tea and coffee using homogeneous liquid–liquid microextraction based on solvents volume ratio alteration

Tooraj Amini, Payman Hashemi



PII: S1570-0232(18)30460-4
DOI: doi:[10.1016/j.jchromb.2018.06.020](https://doi.org/10.1016/j.jchromb.2018.06.020)
Reference: CHROMB 21234

To appear in: *Journal of Chromatography B*

Received date: 16 March 2018
Revised date: 23 May 2018
Accepted date: 6 June 2018

Please cite this article as: Tooraj Amini, Payman Hashemi , Preconcentration and GC–MS determination of caffeine in tea and coffee using homogeneous liquid–liquid microextraction based on solvents volume ratio alteration. *Chromb* (2017), doi:[10.1016/j.jchromb.2018.06.020](https://doi.org/10.1016/j.jchromb.2018.06.020)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Preconcentration and GC-MS determination of caffeine in tea and coffee using homogeneous liquid–liquid microextraction based on solvents volume ratio alteration

Tooraj Amini and Payman Hashemi*

Department of Chemistry, Faculty of Sciences, Lorestan University, Khoramabad, Iran

ACCEPTED MANUSCRIPT

* Corresponding author.
E-mail address: hashemi.p@lu.ac.ir (P. Hashemi).

Download English Version:

<https://daneshyari.com/en/article/7614944>

Download Persian Version:

<https://daneshyari.com/article/7614944>

[Daneshyari.com](https://daneshyari.com)