Measurement of lidocaine and 2,6-dimethylaniline in minipig plasma, skin, and dermal tapes using UHPLC with electrospray MS/MS



Qian Li, Tobias Magers, Brad King, Brian J. Engel, Ray Bakhtiar, Charisse Green, Ronald Shoup

PII:	S1570-0232(18)30311-8
DOI:	doi:10.1016/j.jchromb.2018.04.030
Reference:	CHROMB 21145
To appear in:	

Received date:	27 February 2018
Revised date:	13 April 2018
Accepted date:	16 April 2018

Please cite this article as: Qian Li, Tobias Magers, Brad King, Brian J. Engel, Ray Bakhtiar, Charisse Green, Ronald Shoup, Measurement of lidocaine and 2,6-dimethylaniline in minipig plasma, skin, and dermal tapes using UHPLC with electrospray MS/MS. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Chromb(2017), doi:10.1016/j.jchromb.2018.04.030

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Measurement of lidocaine and 2,6-dimethylaniline in minipig plasma, skin, and dermal tapes using

UHPLC with electrospray MS/MS

Qian Li^a, Tobias Magers^a, Brad King^a, Brian J Engel^a, Ray Bakhtiar^b, Charisse Green^b, and Ronald Shoup^{a,*}

^aAIT Bioscience, LLC, 7840 Innovation Blvd, Indianapolis, IN, USA 46278

^{b1}Teva Branded Pharmaceutical Products R&D, Inc., Teva Pharmaceuticals, 145 Brandywine Parkway,

West Chester, PA, USA 19380

*Corresponding author, rshoup@aitbioscience.com

Download English Version:

https://daneshyari.com/en/article/7615082

Download Persian Version:

https://daneshyari.com/article/7615082

Daneshyari.com