Accepted Manuscript

A sensitive and robust HPLC method to quantify recombinant antibody fragments in E. coli crude cell lysate Thomas Gundinger, Alexander Pansy, Oliver Spadiut

PII:	S1570-0232(17)32126-8
DOI:	doi:10.1016/j.jchromb.2018.02.044
Reference:	CHROMB 21065

To appear in:

Received date:	12 December 2017
Revised date:	19 February 2018
Accepted date:	28 February 2018

Please cite this article as: Thomas Gundinger, Alexander Pansy, Oliver Spadiut, A sensitive and robust HPLC method to quantify recombinant antibody fragments in E. coli crude cell lysate. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Chromb(2017), doi:10.1016/j.jchromb.2018.02.044

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

A sensitive and robust HPLC method to quantify recombinant antibody

fragments in E. coli crude cell lysate

Thomas Gundinger^{1*}, Alexander Pansy^{1*} and Oliver Spadiut^{1,§}

¹ Research Division Biochemical Engineering, Institute of Chemical, Environmental and Bioscience Engineering, TU Wien, Vienna, Austria

*These authors contributed equally

[§] Corresponding author: Oliver Spadiut, TU Wien, Institute of Chemical, Environmental and Bioscience Engineering, Research Area Biochemical Engineering, Gumpendorfer Strasse 1a, 1060 Vienna, Austria. Tel: +43 1 58801 166473, Fax: +43 1 58801 166980, Email: oliver.spadiut@tuwien.ac.at

1

Download English Version:

https://daneshyari.com/en/article/7615256

Download Persian Version:

https://daneshyari.com/article/7615256

Daneshyari.com