

Accepted Manuscript

Title: Oxalic acid quantification in mouse urine and primary mouse hepatocyte cell culture samples by ion exclusion chromatography-mass spectrometry

Authors: Alexander Schriewer, Moritz Brink, Kathrin Gianmoena, Cristina Cadenas, Heiko Hayen



PII: S1570-0232(17)31346-6
DOI: <https://doi.org/10.1016/j.jchromb.2017.10.032>
Reference: CHROMB 20862

To appear in: *Journal of Chromatography B*

Received date: 4-8-2017
Revised date: 13-10-2017
Accepted date: 14-10-2017

Please cite this article as: Alexander Schriewer, Moritz Brink, Kathrin Gianmoena, Cristina Cadenas, Heiko Hayen, Oxalic acid quantification in mouse urine and primary mouse hepatocyte cell culture samples by ion exclusion chromatography-mass spectrometry, *Journal of Chromatography B* <https://doi.org/10.1016/j.jchromb.2017.10.032>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Oxalic acid quantification in mouse urine and primary mouse hepatocyte cell culture samples by ion exclusion chromatography-mass spectrometry

Alexander Schriewer¹, Moritz Brink¹, Kathrin Gianmoena², Cristina Cadenas² and Heiko Hayen^{1*}

¹ Institute of Inorganic and Analytical Chemistry, University of Münster, Corrensstr. 30, 48149 Münster, Germany

² Leibniz Research Centre for Working Environment and Human Factors at the University of Dortmund, Ardeystr. 67, 44139 Dortmund, Germany

Correspondence

*Prof. Dr. Heiko Hayen

Institute of Inorganic and Analytical Chemistry, University of Münster, Corrensstr. 30, 48149 Münster, Germany

Tel: +49 251 83-3 65 76

Fax: +49 251 83-3 60 13

Email: heiko.hayen@uni-muenster.de

Highlights:

- Oxalic acid analysis by means of ion exclusion chromatography-tandem MS.
- Quantification with stable isotope dilution approach.
- Application in complex matrices like mouse urine or primary mouse hepatocyte cell culture supernatants.

Download English Version:

<https://daneshyari.com/en/article/7615854>

Download Persian Version:

<https://daneshyari.com/article/7615854>

[Daneshyari.com](https://daneshyari.com)