

Accepted Manuscript

Title: Bioaccessibility and permeability of bioactive compounds in raw and cooked garlic

Authors: Carolina Torres Palazzolo, Daniela Ramirez, Daniela Locatelli, Walter Manucha, Claudia Castro, Alejandra Camargo



PII: S0889-1575(18)30074-7
DOI: <https://doi.org/10.1016/j.jfca.2018.03.008>
Reference: YJFCA 3071

To appear in:

Received date: 1-12-2017
Revised date: 21-3-2018
Accepted date: 29-3-2018

Please cite this article as: Palazzolo, Carolina Torres., Ramirez, Daniela., Locatelli, Daniela., Manucha, Walter., Castro, Claudia., & Camargo, Alejandra., Bioaccessibility and permeability of bioactive compounds in raw and cooked garlic. *Journal of Food Composition and Analysis* <https://doi.org/10.1016/j.jfca.2018.03.008>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Original Research Article

Bioaccessibility and permeability of bioactive compounds in raw and cooked garlic

Carolina Torres Palazzolo^a; Daniela Ramirez^a; Daniela Locatelli^b; Walter Manucha^c; Claudia Castro^c; Alejandra Camargo^{a*}

- a) IBAM, Facultad de Ciencias Agrarias, CONICET, UNCuyo. Almirante Brown 500, Chacras de Coria, Mendoza, Argentina.
- b) Facultad de Ciencias Agrarias, UNCuyo. Almirante Brown 500, Chacras de Coria, Mendoza, Argentina.
- c) IMBECU, Facultad de Ciencias Médicas, CONICET, UNCuyo. Av. Ruiz Leal 5500, Mendoza, Argentina.

***Corresponding author:** Alejandra CAMARGO, PhD. Almirante Brown 500. M5528AHB.

Chacras de Coria, Mendoza, Argentina. Phone +54-261-4135000 ext. 1303. Fax +54-261-4960469. E-mail: alebcamargo@gmail.com

Highlights

- Bioactive compounds of raw and cooked garlic could be absorbed at a moderate rate
- Raw garlic digestion showed a greater organosulfur compounds quantitative yield
- Garlic compound 2-vinyldithiin evidenced the best permeability and blood stability

Download English Version:

<https://daneshyari.com/en/article/7619602>

Download Persian Version:

<https://daneshyari.com/article/7619602>

[Daneshyari.com](https://daneshyari.com)